

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102119\
 Data File : VW013628.D
 Acq On : 21 Oct 2019 11:47
 Operator : SY/VA
 Sample : K5354-07
 Misc : 5.01G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Oct 21 17:03:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 21 16:37:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	336272	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	323993	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	183675	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	98263	23.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.28%
7) Chloroethane-d5	2.89	69	86929	22.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.28%
10) 1,1-Dichloroethene-d2	4.02	63	151341	16.61	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.44%
20) 2-Butanone-d5	7.07	46	69454	47.07	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.14%
24) Chloroform-d	7.65	84	213603	22.70	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.80%
26) 1,2-Dichloroethane-d4	8.31	65	113579	23.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.32%
29) Benzene-d6	8.27	84	456948	23.47	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.88%
33) 1,2-Dichloropropane-d6	9.27	67	139128	23.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.72%
37) Toluene-d8	10.32	98	414276	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.32%
38) trans-1,3-Dichloropropene-	10.58	79	60264	22.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.92%
39) 2-Hexanone-d5	10.92	63	53622	48.25	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.50%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	113519	23.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.36%
61) 1,2-Dichlorobenzene-d4	13.85	152	156544	24.12	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.48%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	57263	8.893 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102119\
Data File : VW013628.D
Acq On : 21 Oct 2019 11:47
Operator : SY/VA
Sample : K5354-07
Misc : 5.01G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Oct 21 17:03:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 21 16:37:58 2019
Response via : Initial Calibration

