

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102218\
 Data File : VW006253.D
 Acq On : 22 Oct 2018 16:01
 Operator : VA/AP
 Sample : J5610-06
 Misc : 5.38G/5ML/MSVOA W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SB-3(6-8)

Quant Time: Oct 23 04:32:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W101518S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 18 17:01:24 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	363233	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	512524	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	429454	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	180335	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	84365	28.02	ug/l	0.00
Spiked Amount 50.000			Recovery	=	56.04%	
35) Dibromofluoromethane	7.89	113	90122	29.76	ug/l	0.00
Spiked Amount 50.000			Recovery	=	59.52%	
50) Toluene-d8	10.33	98	309722	26.88	ug/l	0.00
Spiked Amount 50.000			Recovery	=	53.76%	
62) 4-Bromofluorobenzene	12.62	95	106527	24.62	ug/l	0.00
Spiked Amount 50.000			Recovery	=	49.24%	
Target Compounds						
20) Methylene Chloride	4.91	84	23307	5.878	ug/l	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102218\
Data File : VW006253.D
Acq On : 22 Oct 2018 16:01
Operator : VA/AP
Sample : J5610-06
Misc : 5.38G/5ML/MSVOA W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SB-3(6-8)

Quant Time: Oct 23 04:32:37 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W101518S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 18 17:01:24 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW006253.D

Acq: 22 Oct 2018 16:01

Instrument :

MSVOA_W

ClientSampleId :


SB-3(6-8)

Tot Ion:168 Resp: 363233

Ion Ratio Lower Upper

168 100

99 49.6 39.9 59.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95



150000

100000

50000

0

Time--> 7.80 7.90 8.00 8.10



#20

Methylene Chloride

Concen: 5.878 ug/l

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW006253.D

Acq: 22 Oct 2018 16:01

Tgt Ion: 84 Resp: 23307


Ion Ratio Lower Upper

84 100

49 105.4 93.6 140.4

51 31.6 29.0 43.4

86 60.0 52.6 79.0



Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW

4.91

10000

8000


6000


4000

2000

0

Time--> 4.80 4.90 5.00 5.10









#33
 1,2-Dichloroethane-d4
 Concen: 28.015 ug/l
 RT: 8.31 min Scan# 1051
 Delta R.T. -0.00 min
 Lab File: VW006253.D
 Acq: 22 Oct 2018 16:01




Instrument :
 MSVOA_W
 ClientSampleId :
 SB-3(6-8)

Tot Ion: 65 Resp: 84365
 Ion Ratio Lower Upper
 65 100
 67 51.2 0.0 101.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.85 min Scan# 1139
 Delta R.T. -0.00 min
 Lab File: VW006253.D
 Acq: 22 Oct 2018 16:01

Tgt Ion: 114 Resp: 512524
 Ion Ratio Lower Upper
 114 100
 63 17.4 0.0 36.8
 88 14.6 0.0 29.0





#35

Dibromofluoromethane

Concen: 29.758 ug/l

RT: 7.89 min Scan# 982

Delta R.T. -0.00 min

Lab File: VW006253.D

Acq: 22 Oct 2018 16:01

Instrument :

MSVOA_W

ClientSampleId :

SB-3(6-8)


Tot Ion:113 Resp: 90122

Ion Ratio Lower Upper

113 100

111 101.6 81.4 122.0




192 23.2 18.7 28.1



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 26.881 ug/l

RT: 10.33 min Scan# 1382

Delta R.T. -0.00 min

Lab File: VW006253.D


Acq: 22 Oct 2018 16:01

Tgt Ion: 98 Resp: 309722

Ion Ratio Lower Upper



98 100


100 64.6 51.6 77.4



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 24.616 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. -0.00 min
Lab File: VW006253.D
Acq: 22 Oct 2018 16:01




Instrument :
MSVOA_W
ClientSampled :
SB-3(6-8)


Tot Ion	95	Resp	106527
Ion Ratio	Lower	Upper	
95	100		
174	95.2	0.0	186.0
176	92.9	0.0	181.6



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW006253.D
Acq: 22 Oct 2018 16:01

Tgt Ion	117	Resp	429454
Ion Ratio	Lower	Upper	
117	100		
82	51.4	42.1	63.1
119	32.6	25.8	38.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.57 min Scan# 1913

Delta R.T. -0.00 min

Lab File: VW006253.D

Acq: 22 Oct 2018 16:01

Instrument :

MSVOA_W

ClientSampleId :

SB-3(6-8)


Tot Ion:152 Resp: 180335

Ion Ratio Lower Upper

152 100

115 55.0 27.8 83.3

150 156.6 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

