

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102220\
 Data File : VW016968.D
 Acq On : 22 Oct 2020 14:37
 Operator : SY/VA
 Sample : VIBLK20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Quant Time: Oct 23 02:40:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 22 12:40:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	549432	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	493579	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	232740	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	135936	21.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.76%
7) Chloroethane-d5	2.89	69	105249	21.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.68%
10) 1,1-Dichloroethene-d2	4.02	63	201509	16.34	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.36%
20) 2-Butanone-d5	7.09	46	60387	50.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.10%
24) Chloroform-d	7.65	84	275679	21.75	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.00%
26) 1,2-Dichloroethane-d4	8.31	65	138923	23.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.16%
29) Benzene-d6	8.28	84	577175	22.76	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.04%
33) 1,2-Dichloropropane-d6	9.28	67	157454	23.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.04%
37) Toluene-d8	10.33	98	546678	22.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.60%
38) trans-1,3-Dichloropropene-	10.58	79	66877	23.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.08%
39) 2-Hexanone-d5	10.93	63	51693	53.79	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.58%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	129554	24.85	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	199641	24.41	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.64%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	19296	2.656 ug/L	93




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102220\
Data File : VW016968.D
Acq On : 22 Oct 2020 14:37
Operator : SY/VA
Sample : VIBLK20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK20

Quant Time: Oct 23 02:40:04 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 22 12:40:20 2020
Response via : Initial Calibration





#16

Methvlene chloride

Concen: 2.656 ug/L

RT: 4.93 min Scan# 496

Delta R.T. 0.01 min

Lab File: VW016968.D

Acq: 22 Oct 2020 14:37

Instrument :

MSVOA_W

ClientSampleId :

VIBLK20

Tot Ion: 84 Resp: 19296

Ion Ratio Lower Upper

84 100

49 97.7 73.8 137.0

86 62.9 47.4 88.0

