

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102419\
 Data File : VW013728.D
 Acq On : 24 Oct 2019 22:47
 Operator : SY/VA
 Sample : K5499-08RE
 Misc : 7.83G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 25 08:01:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W102319S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 23 14:11:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	188206	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	277240	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	204345	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.55	152	68737	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	84250	59.67	ug/l	0.00
Spiked Amount	50.000		Recovery	=	119.34%	
35) Dibromofluoromethane	7.88	113	85083	55.23	ug/l	0.00
Spiked Amount	50.000		Recovery	=	110.46%	
50) Toluene-d8	10.32	98	305619	48.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.38%	
62) 4-Bromofluorobenzene	12.62	95	76522	36.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	72.00%	
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	5.18	59	102	1.210	ug/l #	71
20) Methylene Chloride	4.92	84	2820	Below Cal	#	77
31) Cyclohexane	7.94	56	3279	1.045	ug/l #	8
36) 1,1-Dichloropropene	7.95	75	11798	4.569	ug/l #	48
38) Carbon Tetrachloride	7.95	117	15330	6.593	ug/l #	15
51) 4-Methyl-2-Pentanone	10.32	43	1138	1.210	ug/l #	1
76) 1,2,3-Trichloropropane	12.62	75	35965	72.859	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.62	75	35965	137.693	ug/l #	14


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102419\
Data File : VW013728.D
Acq On : 24 Oct 2019 22:47
Operator : SY/VA
Sample : K5499-08RE
Misc : 7.83G/5ML/MSVOA W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 25 08:01:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W102319S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 23 14:11:46 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW013728.D

Acq: 24 Oct 2019 22:47


Instrument :
MSVOA_W
ClientSampled :

Tot Ion:168 Resp: 188206

Ion Ratio Lower Upper




168 100

99 47.8 39.0 58.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#11

Tert butyl alcohol

Concen: 1.210 ug/l

RT: 5.18 min Scan# 538

Delta R.T. -0.01 min

Lab File: VW013728.D


Acq: 24 Oct 2019 22:47

Tgt Ion: 59 Resp: 102

Ion Ratio Lower Upper



59 100


57 0.0 8.8 13.2#



Abundance Ion 59.00 (58.70 to 59.70): VW

Ion 57.00 (56.70 to 57.70): VW









#20
Methvlene Chloride
Concen: Below Cal
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Instrument :
MSVOA_W
ClientSampleId :

Tot Ion: 84 Resp: 2820
Ion Ratio Lower Upper
84 100
49 83.1 91.8 137.6#
51 34.4 29.8 44.6
86 51.5 55.2 82.8#




Abundance Ion 83.90 (83.60 to 84.60): VW
Ion 48.90 (48.60 to 49.60): VW
Ion 50.90 (50.60 to 51.60): VW
Ion 85.90 (85.60 to 86.60): VW






#31
Cyclohexane
Concen: 1.045 ug/l
RT: 7.94 min Scan# 990
Delta R.T. -0.02 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Tgt Ion: 56 Resp: 3279
Ion Ratio Lower Upper
56 100
69 152.3 27.5 41.3#
84 133.5 70.8 106.2#



Abundance Ion 56.00 (55.70 to 56.70): VW
Ion 69.00 (68.70 to 69.70): VW
Ion 84.00 (83.70 to 84.70): VW









#33
 1,2-Dichloroethane-d4
 Concen: 59.673 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: VW013728.D
 Acq: 24 Oct 2019 22:47




Instrument :
 MSVOA_W
 ClientSampleId :


Tot Ion: 65 Resp: 84250
 Ion Ratio Lower Upper
 65 100
 67 52.8 0.0 109.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW013728.D
 Acq: 24 Oct 2019 22:47

Tgt Ion: 114 Resp: 277240
 Ion Ratio Lower Upper
 114 100
 63 19.3 0.0 37.6
 88 16.2 0.0 30.2





#35

Dibromofluoromethane

Concen: 55.231 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW013728.D

Acq: 24 Oct 2019 22:47

Instrument :
MSVOA_W
ClientSampleId :


Tot Ion:113 Resp: 85083

Ion Ratio Lower Upper




113 100

111 103.8 83.0 124.6

192 23.7 19.4 29.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 4.569 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.13 min

Lab File: VW013728.D

Acq: 24 Oct 2019 22:47


Tgt Ion: 75 Resp: 11798

Ion Ratio Lower Upper



75 100


110 8.6 18.7 56.1#

77 0.0 25.4 38.0#



Abundance Ion 74.90 (74.60 to 75.60): VW
Ion 109.90 (109.60 to 110.60): V
Ion 76.90 (76.60 to 77.60): VW









#38
Carbon Tetrachloride
Concen: 6.593 ug/l
RT: 7.95 min Scan# 991
Delta R.T. -0.12 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Instrument :
MSVOA_W
ClientSampled :

Tot Ion:117 Resp: 15330
Ion Ratio Lower Upper
117 100
119 4.8 79.0 118.4#
121 0.0 24.5 36.7#




Abundance Ion 116.80 (116.50 to 117.50): V
Ion 118.80 (118.50 to 119.50): V
Ion 120.80 (120.50 to 121.50): V






#50
Toluene-d8
Concen: 48.688 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Tgt Ion: 98 Resp: 305619
Ion Ratio Lower Upper
98 100
100 66.2 53.4 80.0



Abundance Ion 98.00 (97.70 to 98.70): VW
Ion 100.00 (99.70 to 100.70): V









#51
 4-Methyl-2-Pentanone
 Concen: 1.210 ug/l
 RT: 10.32 min Scan# 1381
 Delta R.T. 0.12 min
 Lab File: VW013728.D
 Acq: 24 Oct 2019 22:47




Instrument :
 MSVOA_W
 ClientSampled :


Tot Ion: 43 Resp: 1138
 Ion Ratio Lower Upper
 43 100
 58 206.5 32.6 49.0#



#62
 4-Bromofluorobenzene
 Concen: 36.003 ug/l
 RT: 12.62 min Scan# 1757
 Delta R.T. -0.00 min
 Lab File: VW013728.D
 Acq: 24 Oct 2019 22:47

Tgt Ion: 95 Resp: 76522
 Ion Ratio Lower Upper
 95 100
 174 92.6 0.0 183.6
 176 88.8 0.0 178.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.01 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Instrument :
MSVOA_W
ClientSampleId :

Tot Ion:117 Resp: 204345
Ion Ratio Lower Upper
117 100
82 52.5 43.6 65.4
119 32.1 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.55 min Scan# 1911
Delta R.T. -0.01 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Tgt Ion:152 Resp: 68737
Ion Ratio Lower Upper
152 100
115 56.3 27.4 82.2
150 156.7 0.0 345.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V









#76

1,2,3-Trichloropropane
Concen: 72.859 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. -0.15 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Instrument :
MSVOA_W
ClientSampled :

Tot Ion: 75 Resp: 35965
Ion Ratio Lower Upper
75 100
77 1.3 0.0 0.0#



#81

trans-1,4-Dichloro-2-butene
Concen: 137.693 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. 0.10 min
Lab File: VW013728.D
Acq: 24 Oct 2019 22:47

Tgt Ion: 75 Resp: 35965
Ion Ratio Lower Upper
75 100
53 0.0 71.7 107.5#
89 0.2 35.8 53.8#

