

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102519\NOT REVIEWED DATA\
 Data File : VW013740.D
 Acq On : 25 Oct 2019 11:45
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK

Quant Time: Oct 29 13:55:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 29 12:39:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	313168	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	310710	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	178810	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	84493	21.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.96%
7) Chloroethane-d5	2.89	69	72736	20.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.12%
10) 1,1-Dichloroethene-d2	4.02	63	130450	15.37	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.48%
20) 2-Butanone-d5	7.22	46	213	0.15	ug/L	0.15
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.30%#
24) Chloroform-d	7.65	84	195080	22.26	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.04%
26) 1,2-Dichloroethane-d4	8.31	65	105495	23.02	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.08%
29) Benzene-d6	8.27	84	399162	21.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.52%
33) 1,2-Dichloropropane-d6	9.27	67	123269	22.11	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.44%
37) Toluene-d8	10.32	98	367386	21.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.36%
38) trans-1,3-Dichloropropene-	10.58	79	51536	20.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.96%
39) 2-Hexanone-d5	10.93	63	50693	47.56	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	104299	22.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.36%
61) 1,2-Dichlorobenzene-d4	13.85	152	141774	22.44	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.76%


Target Compounds					Ovalue
40) 1,2-Dichloropropane	9.27	63	13163	2.415 ug/L	# 85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102519\NOT REVIEWED DATA\
Data File : VW013740.D
Acq On : 25 Oct 2019 11:45
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Quant Time: Oct 29 13:55:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 29 12:39:24 2019
Response via : Initial Calibration





#40

1,2-Dichloropropane

Concen: 2.415 ug/L

RT: 9.27 min Scan# 1208

Delta R.T. -0.10 min

Lab File: VW013740.D

Acq: 25 Oct 2019 11:45

Instrument :

MSVOA_W

ClientSampleId :

VIBLK

Tot Ion: 63 Resp: 13163

Ion Ratio Lower Upper

63 100

112 0.0 3.9 5.9#

