

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102919\
 Data File : VW013784.D
 Acq On : 29 Oct 2019 10:44
 Operator : SY/VA
 Sample : VW1029SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK13

Quant Time: Oct 30 06:07:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 30 06:58:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	326600	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	316641	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	179833	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	87839	21.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.68%
7) Chloroethane-d5	2.89	69	77280	20.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.64%
10) 1,1-Dichloroethene-d2	4.02	63	138889	15.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.76%
20) 2-Butanone-d5	7.07	46	82177	57.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.68%
24) Chloroform-d	7.65	84	216253	23.66	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.64%
26) 1,2-Dichloroethane-d4	8.31	65	119509	25.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.04%
29) Benzene-d6	8.27	84	440683	23.16	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.64%
33) 1,2-Dichloropropane-d6	9.27	67	138047	24.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.20%
37) Toluene-d8	10.32	98	401729	22.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.60%
38) trans-1,3-Dichloropropene-	10.58	79	60207	23.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.96%
39) 2-Hexanone-d5	10.93	63	63571	58.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.06%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	126569	27.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.80%
61) 1,2-Dichlorobenzene-d4	13.85	152	155872	24.53	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.12%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102919\
Data File : VW013784.D
Acq On : 29 Oct 2019 10:44
Operator : SY/VA
Sample : VW1029SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK13

Quant Time: Oct 30 06:07:00 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 30 06:58:53 2019
Response via : Initial Calibration

