

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102919\
 Data File : VW013789.D
 Acq On : 29 Oct 2019 13:23
 Operator : SY/VA
 Sample : K5552-04
 Misc : 3.45G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAQ77

Quant Time: Oct 30 06:28:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 30 06:58:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	287319	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	272155	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	145335	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	102187	28.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	115.96%
7) Chloroethane-d5	2.89	69	81552	24.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.12%
10) 1,1-Dichloroethene-d2	4.03	63	150464	19.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.32%
20) 2-Butanone-d5	7.07	46	78647	62.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	124.76%
24) Chloroform-d	7.65	84	207163	25.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	103.08%
26) 1,2-Dichloroethane-d4	8.31	65	115944	27.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	110.32%
29) Benzene-d6	8.27	84	446463	27.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	109.20%
33) 1,2-Dichloropropane-d6	9.27	67	135738	27.80	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.20%
37) Toluene-d8	10.32	98	414870	27.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	110.04%
38) trans-1,3-Dichloropropene-	10.58	79	59435	26.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	107.92%
39) 2-Hexanone-d5	10.92	63	65165	69.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	139.60%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	123576	30.90	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	123.60%#
61) 1,2-Dichlorobenzene-d4	13.85	152	143588	27.96	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.84%


Target Compounds					Ovalue
13) Acetone	4.12	43	11331	8.097 ug/L	94
15) Methyl Acetate	4.67	43	64148	28.055 ug/L	99
44) Toluene	10.38	91	8777	0.418 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102919\
Data File : VW013789.D
Acq On : 29 Oct 2019 13:23
Operator : SY/VA
Sample : K5552-04
Misc : 3.45G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAQ77

Quant Time: Oct 30 06:28:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 30 06:58:53 2019
Response via : Initial Calibration





#13

Acetone

Concen: 8.097 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW013789.D

Acq: 29 Oct 2019 13:23

Instrument :

MSVOA_W

ClientSampleId :





GAQ77

Tot Ion: 43 Resp: 11331

Ion Ratio Lower Upper

43 100

58 32.0 0.0 70.4



#15

Methyl Acetate

Concen: 28.055 ug/L

RT: 4.67 min Scan# 453

Delta R.T. 0.00 min

Lab File: VW013789.D




Acq: 29 Oct 2019 13:23


Tgt Ion: 43 Resp: 64148

Ion Ratio Lower Upper

43 100

74 24.2 19.2 28.8





#44

Toluene

Concen: 0.418 ug/L

RT: 10.38 min Scan# 1391

Delta R.T. 0.00 min

Lab File: VW013789.D

Acq: 29 Oct 2019 13:23

Instrument :

MSVOA_W

ClientSampleId :

GAQ77

Tot Ion: 91 Resp: 8777

Ion Ratio Lower Upper

91 100

92 55.3 42.0 78.0

