

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW103019\
 Data File : VW013831.D
 Acq On : 30 Oct 2019 12:27
 Operator : SY/VA
 Sample : K5565-08RE
 Misc : 2.84G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JLNA7RE

Manual Integrations
 APPROVED

MMDadoda
 10/31/2019 11:48:29 AM

Quant Time: Oct 31 06:03:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 31 05:29:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	287757	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	187067	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	48355	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	105454	29.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	119.48%
7) Chloroethane-d5	2.89	69	86594	26.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.12%
10) 1,1-Dichloroethene-d2	4.02	63	159292	20.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.72%
20) 2-Butanone-d5	7.07	46	55514	43.96	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.92%
24) Chloroform-d	7.65	84	212440	26.38	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	105.52%
26) 1,2-Dichloroethane-d4	8.31	65	104097	24.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.88%
29) Benzene-d6	8.27	84	436693	38.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	155.40%#
33) 1,2-Dichloropropane-d6	9.27	67	129359	38.54	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	154.16%#
37) Toluene-d8	10.32	98	337884	32.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	130.40%#
38) trans-1,3-Dichloropropene-	10.58	79	42564	28.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	112.44%
39) 2-Hexanone-d5	10.93	63	38345	59.76	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.52%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	54214	19.72	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	78.88%
61) 1,2-Dichlorobenzene-d4	13.85	152	38733	22.67	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.68%

Target Compounds					Qvalue
13) Acetone	4.12	43	156869	111.930 ug/L	95
16) Methylene chloride	4.91	84	17925m	3.253 ug/L	
21) 2-Butanone	7.17	43	65753	36.951 ug/L	98
44) Toluene	10.38	91	9747	0.676 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW103019\
Data File : VW013831.D
Acq On : 30 Oct 2019 12:27
Operator : SY/VA
Sample : K5565-08RE
Misc : 2.84G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
JLNA7RE

Manual Integrations
APPROVED

MMDadoda
10/31/2019 11:48:29 AM

Quant Time: Oct 31 06:03:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 31 05:29:18 2019
Response via : Initial Calibration





#13

Acetone

Concen: 111.930 ug/L

RT: 4.12 min Scan# 363

Delta R.T. 0.00 min

Lab File: VW013831.D

Acq: 30 Oct 2019 12:27

Instrument :

MSVOA_W

ClientSampleId :

JLNA7RE

Tgt Ion: 43 Resp: 156869

Ion Ratio Lower Upper

43 100





58 32.5 0.0 70.4

Manual Integrations

APPROVED

MMDadoda

10/31/2019 11:48:29 AM



#16

Methylene chloride

Concen: 3.253 ug/L m

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW013831.D

Acq: 30 Oct 2019 12:27




Tgt Ion: 84 Resp: 17925


Ion Ratio Lower Upper

84 100

49 116.3 80.2 148.9

86 66.1 42.7 79.3





#21

2-Butanone

Concen: 36.951 ug/L

RT: 7.17 min Scan# 864

Delta R.T. 0.01 min

Lab File: VW013831.D

Acq: 30 Oct 2019 12:27

Instrument :

MSVOA_W

ClientSampled :

JLNA7RE

Tgt Ion: 43 Resp: 65753

Ion Ratio Lower Upper

43 100





72 26.2 13.7 41.1

Manual Integrations

APPROVED

MMDadoda

10/31/2019 11:48:29 AM



#44

Toluene

Concen: 0.676 ug/L

RT: 10.38 min Scan# 1391

Delta R.T. 0.00 min

Lab File: VW013831.D

Acq: 30 Oct 2019 12:27

Tgt Ion: 91 Resp: 9747

Ion Ratio Lower Upper

91 100

92 55.4 42.0 78.0

