

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103020\
 Data File : VW017034.D
 Acq On : 30 Oct 2020 12:21
 Operator : SY/VA
 Sample : VIBLK20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Quant Time: Oct 31 05:13:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 31 05:42:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	439230	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	413647	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	188521	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	105889	20.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.56%
7) Chloroethane-d5	2.89	69	88233	22.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.84%
10) 1,1-Dichloroethene-d2	4.02	63	163162	16.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.20%
20) 2-Butanone-d5	7.08	46	53143	55.65	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	111.30%
24) Chloroform-d	7.65	84	242277	23.91	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.64%
26) 1,2-Dichloroethane-d4	8.31	65	119893	25.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.60%
29) Benzene-d6	8.27	84	489426	23.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.12%
33) 1,2-Dichloropropane-d6	9.27	67	137020	23.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.56%
37) Toluene-d8	10.33	98	459626	22.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.92%
38) trans-1,3-Dichloropropene-	10.58	79	54456	22.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.48%
39) 2-Hexanone-d5	10.93	63	41998	52.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.30%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	111142	25.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	165659	25.00	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.00%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	12876	2.217 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW103020\
Data File : VW017034.D
Acq On : 30 Oct 2020 12:21
Operator : SY/VA
Sample : VIBLK20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK20

Quant Time: Oct 31 05:13:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 31 05:42:11 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.217 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. -0.01 min
 Lab File: VW017034.D
 Acq: 30 Oct 2020 12:21

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Tot Ion:	84	Resp:	12876
Ion	Ratio	Lower	Upper
84	100		
49	99.5	73.8	137.0
86	66.1	47.4	88.0

