

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW110220\
 Data File : VW017046.D
 Acq On : 02 Nov 2020 14:34
 Operator : SY/VA
 Sample : VIBLK24
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK24

Quant Time: Nov 03 06:04:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 03 04:48:47 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	445897	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	410269	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	196231	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	102239	19.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.48%
7) Chloroethane-d5	2.89	69	88516	22.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.80%
10) 1,1-Dichloroethene-d2	4.03	63	161001	16.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.32%
20) 2-Butanone-d5	7.08	46	48159	49.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.36%
24) Chloroform-d	7.65	84	244466	23.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.08%
26) 1,2-Dichloroethane-d4	8.31	65	115313	23.82	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.28%
29) Benzene-d6	8.27	84	496130	23.54	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.16%
33) 1,2-Dichloropropane-d6	9.28	67	139335	24.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.96%
37) Toluene-d8	10.33	98	459125	23.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.56%
38) trans-1,3-Dichloropropene-	10.58	79	54217	22.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.84%
39) 2-Hexanone-d5	10.93	63	38208	47.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	103726	23.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	170195	24.68	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.72%


Target Compounds				Ovalue
16) Methylene chloride	4.92	84	16320	2.768 ug/L 91




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW110220\
Data File : VW017046.D
Acq On : 02 Nov 2020 14:34
Operator : SY/VA
Sample : VIBLK24
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK24

Quant Time: Nov 03 06:04:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 03 04:48:47 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.768 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.00 min
Lab File: VW017046.D
Acq: 02 Nov 2020 14:34

Instrument :
MSVOA_W
ClientSampleId :
VIBLK24

Tot Ion: 84 Resp: 16320
Ion Ratio Lower Upper
84 100
49 94.7 73.8 137.0
86 62.6 47.4 88.0

