




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110821\
Data File : VW020806.D
Acq On : 08 Nov 2021 13:18
Operator : SY/VA
Sample : VIBLK479
Misc : 5.00g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Nov 15 01:08:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Nov 15 00:29:21 2021
Response via : Initial Calibration



TIC: VW020806.D\data.ms

(7) Chloroethane-d5 (S)




3.160min (+ 0.274) 0.28 ug/L

response 213

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	31.40	34.74
51.00	29.70	28.17
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110821\
Data File : VW020806.D
Acq On : 08 Nov 2021 13:18
Operator : SY/VA
Sample : VIBLK479
Misc : 5.00g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Nov 15 01:08:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Nov 15 00:29:21 2021
Response via : Initial Calibration



TIC: VW020806.D\data.ms

(7) Chloroethane-d5 (S)

2.879min (-0.006) 31.80 ug/L m

response 23877

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	31.40	0.31#
51.00	29.70	0.25#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw110821\
 Data File : VW020806.D
 Acq On : 08 Nov 2021 13:18
 Operator : SY/VA
 Sample : VIBLK479
 Misc : 5.00g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Nov 15 01:08:37 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Nov 15 00:29:21 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	140252	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	123977	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	68537	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	38866	29.474	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	117.880%	
7) Chloroethane-d5	2.879	69	23877m	31.799	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	127.200%	
11) 1,1-Dichloroethene-d2	4.013	63	49442	17.863	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	71.440%	
21) 2-Butanone-d5	7.080	46	20346	46.459	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	92.920%	
24) Chloroform-d	7.647	84	76693	24.610	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	98.440%	
26) 1,2-Dichloroethane-d4	8.305	65	42311	25.504	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	102.000%	
32) Benzene-d6	8.275	84	154588	27.598	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	110.400%	
36) 1,2-Dichloropropane-d6	9.274	67	45980	26.513	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	106.040%	
41) Toluene-d8	10.323	98	153895	28.240	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	112.960%	
43) trans-1,3-Dichloroprop...	10.579	79	21934	25.500	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	102.000%	
47) 2-Hexanone-d5	10.920	63	17053	48.598	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	97.200%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	35742	24.868	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	99.480%	
66) 1,2-Dichlorobenzene-d4	13.853	152	59805	27.766	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	111.080%	
Target Compounds						
						Qvalue
20) cis-1,2-Dichloroethene	7.171	96	2639	1.313	ug/L	# 62
34) Trichloroethene	9.091	95	2752	1.392	ug/L	88
42) Toluene	10.384	91	19360	2.425	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110821\
Data File : VW020806.D
Acq On : 08 Nov 2021 13:18
Operator : SY/VA
Sample : VIBLK479
Misc : 5.00g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Nov 15 01:08:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Nov 15 00:29:21 2021
Response via : Initial Calibration

