

Data File : VW013966.D
Acq On : 11 Nov 2019 18:25
Operator : SY/VA
Sample : K5784-03
Misc : 5.45G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JLNB0

Quant Time: Nov 12 06:14:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 12 06:10:10 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	295776	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	277566	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	139060	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	97146	20.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.36%
7) Chloroethane-d5	2.89	69	89157	23.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.20%
10) 1,1-Dichloroethene-d2	4.17	63	90	0.01	ug/L	0.15
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.04%#
20) 2-Butanone-d5	7.07	46	73089	53.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.62%
24) Chloroform-d	7.65	84	238591	26.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.96%
26) 1,2-Dichloroethane-d4	8.30	65	131650	28.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	115.16%
29) Benzene-d6	8.27	84	520633	26.44	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.76%
33) 1,2-Dichloropropane-d6	9.27	67	159471	27.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.56%
37) Toluene-d8	10.32	98	479436	25.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	102.68%
38) trans-1,3-Dichloropropene-	10.57	79	62114	25.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.56%
39) 2-Hexanone-d5	10.92	63	59815	54.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.36%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	121496	27.89	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	111.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	152551	27.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	109.20%


Target Compounds					Qvalue
35) Trichloroethene	8.84	95	8146	1.500 ug/L #	2
69) Naphthalene	15.36	128	13263	1.276 ug/L #	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW013966.D
Acq On : 11 Nov 2019 18:25
Operator : SY/VA
Sample : K5784-03
Misc : 5.45G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JLNB0

Quant Time: Nov 12 06:14:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 12 06:10:10 2019
Response via : Initial Calibration





#35

Trichloroethene

Concen: 1.500 ug/L

RT: 8.84 min Scan# 1138

Delta R.T. -0.24 min

Lab File: VW013966.D

Acq: 11 Nov 2019 18:25

Instrument :

MSVOA_W

ClientSampleId :

JLNB0

Tgt Ion: 95 Resp: 8146



Ion Ratio Lower Upper

95 100

97 0.0 45.1 83.9#

132 0.0 73.7 136.9#

130 0.8 76.6 142.2#





Abundance Ion 95.00 (94.70 to 95.70): VW

Ion 97.00 (96.70 to 97.70): VW

Ion 132.00 (131.70 to 132.70): VW

Ion 130.00 (129.70 to 130.70): VW



#69

Naphthalene

Concen: 1.276 ug/L

RT: 15.36 min Scan# 2208

Delta R.T. -0.00 min

Lab File: VW013966.D

Acq: 11 Nov 2019 18:25



Tgt Ion: 128 Resp: 13263

Ion Ratio Lower Upper

128 100

129 4.4 8.8 13.2#

127 9.2 10.4 15.6#



Abundance Ion 128.00 (127.70 to 128.70): VW

Ion 129.00 (128.70 to 129.70): VW

Ion 127.00 (126.70 to 127.70): VW

