

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111320\
 Data File : VW017205.D
 Acq On : 13 Nov 2020 12:18
 Operator : SY/VA
 Sample : VIBLK06
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK06

Quant Time: Nov 17 04:22:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 16 11:48:24 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	430943	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	382329	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	192092	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	107273	19.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.04%
7) Chloroethane-d5	2.89	69	90531	21.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.56%
10) 1,1-Dichloroethene-d2	4.02	63	157202	16.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.76%
20) 2-Butanone-d5	7.08	46	51924	42.78	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.56%
24) Chloroform-d	7.65	84	234146	23.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	8.31	65	121823	24.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.44%
29) Benzene-d6	8.28	84	446038	22.91	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.64%
33) 1,2-Dichloropropane-d6	9.28	67	124715	23.16	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.64%
37) Toluene-d8	10.32	98	423534	23.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.28%
38) trans-1,3-Dichloropropene-	10.58	79	53140	21.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.56%
39) 2-Hexanone-d5	10.93	63	42499	45.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.44%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	106547	22.71	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	167026	24.68	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.72%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	8392	1.444 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111320\
Data File : VW017205.D
Acq On : 13 Nov 2020 12:18
Operator : SY/VA
Sample : VIBLK06
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK06

Quant Time: Nov 17 04:22:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 16 11:48:24 2020
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 1.444 ug/L
 RT: 4.93 min Scan# 496
 Delta R.T. 0.01 min
 Lab File: VW017205.D
 Acq: 13 Nov 2020 12:18

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK06

Tot Ion:	84	Resp:	8392
Ion	Ratio	Lower	Upper
84	100		
49	101.1	72.3	134.3
86	56.2	45.1	83.7

