

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\

Method File : SFAMWLM111521SMA.M

Title : SFAM01.0

Last Update : Mon Nov 15 12:12:25 2021

Response Via : Initial Calibration

Calibration Files

2.5 =VW020885.D 5 =VW020886.D 25 =VW020887.D 50 =VW020888.D 100 =VW020889.D

Compound	2.5	5	25	50	100	Avg	%RSD
----------	-----	---	----	----	-----	-----	------

1) I	1,4-Difluorobenzene	-----ISTD-----					
2) T	Dichlorodifluoro...	0.045 0.068 0.067 0.089 0.092 0.072				26.46	
3) T	Chloromethane	0.232 0.222 0.189 0.221 0.236 0.220				8.46	
4) S	Vinyl Chloride-d3	0.263 0.280 0.290 0.309 0.308 0.290				6.72	
5) T	Vinyl chloride	0.379 0.394 0.353 0.399 0.377 0.380				4.72	
6) T	Bromomethane	0.222 0.216 0.183 0.215 0.219 0.211				7.46	
7) S	Chloroethane-d5	0.173 0.162 0.186 0.204 0.210 0.187				10.80	
8) T	Chloroethane	0.164 0.153 0.147 0.168 0.168 0.160				5.95	
9) T	Trichlorofluorom...	0.230 0.230 0.208 0.230 0.209 0.222				5.24	
10) T	1,1,2-Trichloro....	0.334 0.340 0.318 0.360 0.332 0.337				4.46	
11) S	1,1-Dichloroethe...	0.562 0.546 0.547 0.587 0.563 0.561				2.97	
12) T	1,1-Dichloroethene	0.311 0.314 0.294 0.337 0.311 0.313				4.90	
13) T	Acetone	0.082 0.070 0.055 0.059 0.057 0.065				17.60	
14) T	Carbon disulfide	0.933 0.918 0.747 0.845 0.793 0.847				9.40	
15) T	Methyl Acetate	0.123 0.116 0.112 0.116 0.114 0.116				3.71	
16) T	Methylene chloride	0.447 0.376 0.300 0.318 0.303 0.349				18.03	
17) T	trans-1,2-Dichlo...	0.352 0.340 0.312 0.352 0.331 0.338				4.96	
18) T	Methyl tert-butyl...	0.508 0.514 0.497 0.521 0.494 0.507				2.31	
19) T	1,1-Dichloroethane	0.551 0.555 0.528 0.597 0.566 0.559				4.50	
20) T	cis-1,2-Dichloro...	0.369 0.355 0.345 0.386 0.364 0.364				4.26	
21) S	2-Butanone-d5	0.078 0.072 0.070 0.070 0.072 0.072				4.64	
22) T	2-Butanone	0.108 0.086 0.080 0.083 0.082 0.088				13.11	
23) T	Bromochloromethane	0.163 0.163 0.163 0.175 0.167 0.166				3.09	
24) S	Chloroform-d	0.626 0.615 0.608 0.652 0.648 0.630				3.09	
25) T	Chloroform	0.607 0.602 0.583 0.652 0.612 0.611				4.17	
26) S	1,2-Dichloroetha...	0.340 0.306 0.304 0.325 0.324 0.320				4.61	
27) T	1,2-Dichloroethane	0.385 0.354 0.355 0.389 0.368 0.370				4.47	
28) I	Chlorobenzene-d5	-----ISTD-----					
29) T	Cyclohexane	0.574 0.576 0.522 0.587 0.528 0.557				5.43	
30) T	1,1,1-Trichloroe...	0.601 0.590 0.581 0.653 0.581 0.601				5.03	
31) T	Carbon tetrachlo...	0.557 0.558 0.541 0.619 0.570 0.569				5.21	
32) S	Benzene-d6	1.305 1.293 1.294 1.370 1.326 1.318				2.46	
33) T	Benzene	1.443 1.428 1.341 1.503 1.362 1.415				4.61	
34) T	Trichloroethene	0.405 0.387 0.378 0.427 0.383 0.396				5.06	
35) T	Methylcyclohexane	0.672 0.674 0.613 0.690 0.616 0.653				5.48	
36) S	1,2-Dichloroprop...	0.385 0.369 0.364 0.386 0.372 0.375				2.67	
37) T	1,2-Dichloropropane	0.327 0.324 0.318 0.354 0.325 0.329				4.26	
38) T	Bromodichloromet...	0.448 0.447 0.461 0.527 0.481 0.473				7.06	
39) T	cis-1,3-Dichloro...	0.506 0.529 0.536 0.596 0.553 0.544				6.13	
40) T	4-Methyl-2-penta...	0.203 0.190 0.194 0.202 0.191 0.196				3.24	
41) S	Toluene-d8	1.310 1.286 1.292 1.354 1.297 1.308				2.09	
42) T	Toluene	1.567 1.597 1.529 1.717 1.550 1.592				4.65	
43) S	trans-1,3-Dichlo...	0.175 0.168 0.178 0.186 0.180 0.177				3.79	
44) T	trans-1,3-Dichlo...	0.452 0.451 0.474 0.526 0.487 0.478				6.46	
45) T	1,1,2-Trichloroe...	0.253 0.245 0.259 0.274 0.250 0.256				4.35	
46) T	Tetrachloroethene	0.355 0.354 0.362 0.396 0.351 0.364				5.10	
47) S	2-Hexanone-d5	0.060 0.060 0.064 0.063 0.064 0.062				3.49	
48) T	2-Hexanone	0.128 0.129 0.138 0.145 0.139 0.136				5.31	
49) T	Dibromochloromet...	0.330 0.333 0.349 0.395 0.359 0.353				7.49	
50) T	1,2-Dibromoethane	0.262 0.251 0.248 0.272 0.251 0.257				3.79	
51) T	Chlorobenzene	1.059 1.035 1.011 1.141 1.049 1.059				4.65	
52) T	Ethylbenzene	1.700 1.753 1.710 1.918 1.740 1.764				5.02	
53) T	m,p-Xylene	0.706 0.715 0.694 0.780 0.706 0.720				4.75	
54) T	o-Xylene	0.668 0.686 0.659 0.755 0.691 0.692				5.45	
55) T	Styrene	1.064 1.066 1.128 1.298 1.188 1.149				8.52	
56) S	1,1,2,2-Tetrachl...	0.292 0.281 0.285 0.290 0.289 0.287				1.61	

Response Factor Report MSVOA_W

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\

Method File : SFAMWLM111521SMA.M

57)	T	1,1,2,2-Tetrachloroethane	0.273	0.275	0.289	0.304	0.280	0.284	4.47
58)	I	1,4-Dichlorobenzene	-----ISTD-----						
59)	T	Bromoform	0.325	0.348	0.377	0.415	0.399	0.373	9.88
60)		Isopropylbenzene	3.296	3.356	3.279	3.732	3.362	3.405	5.47
61)		1,2,3-Trichloropropane	0.357	0.350	0.369	0.390	0.367	0.367	4.13
62)		1,3,5-Trimethylbenzene	2.705	2.827	2.770	3.189	2.872	2.872	6.53
63)		1,2,4-Trimethylbenzene	2.647	2.734	2.780	3.170	2.841	2.834	7.07
64)	T	1,3-Dichlorobenzene	1.552	1.597	1.552	1.715	1.566	1.596	4.32
65)	T	1,4-Dichlorobenzene	1.642	1.644	1.531	1.724	1.511	1.610	5.50
66)	S	1,2-Dichlorobenzene	0.902	0.912	0.879	0.888	0.874	0.891	1.77
67)	T	1,2-Dichlorobenzene	1.398	1.376	1.362	1.523	1.374	1.407	4.72
68)	T	1,2-Dibromo-3-chloropropane	0.084	0.088	0.088	0.091	0.088	0.088	3.03
69)		1,3,5-Trichlorobenzene	1.201	1.281	1.291	1.348	1.201	1.264	4.99
70)	T	1,2,4-trichlorobenzene	1.032	1.013	1.019	1.088	1.019	1.034	2.97
71)		Naphthalene	1.646	1.616	1.736	1.835	1.595	1.686	5.89
72)	T	1,2,3-Trichlorobenzene	0.891	0.867	0.846	0.942	0.819	0.873	5.34

(#) = Out of Range