

Data File : VW017406.D
Acq On : 20 Nov 2020 10:54
Operator : SY/VA
Sample : VW1120SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 21 00:39:49 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	333181	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	302096	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	146635	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	111620	22.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.52%
7) Chloroethane-d5	2.89	69	95306	24.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.28%
10) 1,1-Dichloroethene-d2	4.01	63	148841	17.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.00%
20) 2-Butanone-d5	7.10	46	35645	44.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.00%
24) Chloroform-d	7.65	84	207471	23.70	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.80%
26) 1,2-Dichloroethane-d4	8.31	65	103086	24.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.48%
29) Benzene-d6	8.27	84	411049	24.14	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.56%
33) 1,2-Dichloropropane-d6	9.27	67	111930	24.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.68%
37) Toluene-d8	10.33	98	390458	24.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.40%
38) trans-1,3-Dichloropropene-	10.58	79	45195	22.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.52%
39) 2-Hexanone-d5	10.93	63	26831	44.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	83071	24.16	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	134536	24.85	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.40%

Target Compounds					Qvalue
14) Carbon disulfide	4.39	76	4236	0.329 ug/L #	79
16) Methylene chloride	4.93	84	6894m	1.210 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW017406.D
Acq On : 20 Nov 2020 10:54
Operator : SY/VA
Sample : VW1120SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 21 00:39:49 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration

