

Data File : VW017425.D
Acq On : 20 Nov 2020 18:19
Operator : SY/VA
Sample : VIBLK13
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 21 01:58:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	357109	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	331796	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	168652	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	97887	18.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.04%
7) Chloroethane-d5	2.89	69	84288	20.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.28%
10) 1,1-Dichloroethene-d2	4.02	63	143737	15.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.16%
20) 2-Butanone-d5	7.07	46	39095m	45.03	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.06%
24) Chloroform-d	7.65	84	208597	22.23	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.92%
26) 1,2-Dichloroethane-d4	8.31	65	106652	23.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.12%
29) Benzene-d6	8.27	84	413323	22.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.40%
33) 1,2-Dichloropropane-d6	9.27	67	110529	22.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.72%
37) Toluene-d8	10.32	98	403420	22.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.64%
38) trans-1,3-Dichloropropene-	10.58	79	47795	22.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.12%
39) 2-Hexanone-d5	10.93	63	33927	50.78	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.56%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	88095	23.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	157899	25.36	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.44%

Target Compounds					Qvalue
16) Methylene chloride	4.92	84	9080m	1.486	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW017425.D
Acq On : 20 Nov 2020 18:19
Operator : SY/VA
Sample : VIBLK13
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 21 01:58:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration

