

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112020\
 Data File : VW017407.D
 Acq On : 20 Nov 2020 11:17
 Operator : SY/VA
 Sample : L4749-11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Nov 21 00:44:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 21 00:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	356953	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	320828	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	154324	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	112586	21.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.20%
7) Chloroethane-d5	2.89	69	92123	21.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.80%
10) 1,1-Dichloroethene-d2	4.02	63	150344	16.26	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.04%
20) 2-Butanone-d5	7.08	46	36397	41.94	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.88%
24) Chloroform-d	7.65	84	209585	22.35	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	8.31	65	104027	22.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.84%
29) Benzene-d6	8.28	84	417648	23.09	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.36%
33) 1,2-Dichloropropane-d6	9.27	67	111552	23.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.60%
37) Toluene-d8	10.32	98	389950	22.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.60%
38) trans-1,3-Dichloropropene-	10.58	79	44647	21.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.12%
39) 2-Hexanone-d5	10.93	63	28529	44.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	84567	23.16	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	133983	23.52	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.08%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	9889	1.620 ug/L	92




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112020\
Data File : VW017407.D
Acq On : 20 Nov 2020 11:17
Operator : SY/VA
Sample : L4749-11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Nov 21 00:44:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.620 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW017407.D
Acq: 20 Nov 2020 11:17

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 9889
Ion Ratio Lower Upper
84 100
49 93.3 71.5 132.9
86 56.5 42.8 79.4

