

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112020\
 Data File : VW017414.D
 Acq On : 20 Nov 2020 14:01
 Operator : SY/VA
 Sample : L4819-05
 Misc : 5.06G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AZ5

Quant Time: Nov 21 01:11:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 21 00:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	356262	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	320172	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	139271	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	120757	22.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.56%
7) Chloroethane-d5	2.89	69	97506	23.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.08%
10) 1,1-Dichloroethene-d2	4.02	63	155979	16.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.64%
20) 2-Butanone-d5	7.08	46	40317	46.55	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.10%
24) Chloroform-d	7.65	84	222964	23.82	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.28%
26) 1,2-Dichloroethane-d4	8.31	65	112756	24.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.72%
29) Benzene-d6	8.27	84	438649	24.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.20%
33) 1,2-Dichloropropane-d6	9.27	67	121296	25.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.92%
37) Toluene-d8	10.32	98	406468	23.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.68%
38) trans-1,3-Dichloropropene-	10.58	79	45910	21.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.72%
39) 2-Hexanone-d5	10.93	63	30538	47.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	93545	25.67	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	125806	24.47	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.88%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	10500	1.723 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112020\
Data File : VW017414.D
Acq On : 20 Nov 2020 14:01
Operator : SY/VA
Sample : L4819-05
Misc : 5.06G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AZ5

Quant Time: Nov 21 01:11:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.723 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW017414.D
 Acq: 20 Nov 2020 14:01

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AZ5

Tot Ion: 84 Resp: 10500
 Ion Ratio Lower Upper
 84 100
 49 94.2 71.5 132.9
 86 63.7 42.8 79.4

