

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112020\
 Data File : VW017421.D
 Acq On : 20 Nov 2020 16:46
 Operator : SY/VA
 Sample : VIBLK11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Quant Time: Nov 21 01:42:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 21 00:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	350206	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	330662	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	174999	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	102783	19.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.28%
7) Chloroethane-d5	2.89	69	86966	21.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.48%
10) 1,1-Dichloroethene-d2	4.02	63	143471	15.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.28%
20) 2-Butanone-d5	7.07	46	45202	53.09	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.18%
24) Chloroform-d	7.65	84	213693	23.23	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.92%
26) 1,2-Dichloroethane-d4	8.31	65	114176	25.68	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.72%
29) Benzene-d6	8.27	84	420561	22.56	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.24%
33) 1,2-Dichloropropane-d6	9.27	67	117455	23.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.60%
37) Toluene-d8	10.32	98	409805	23.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.40%
38) trans-1,3-Dichloropropene-	10.58	79	53545	24.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.08%
39) 2-Hexanone-d5	10.93	63	39662	59.56	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	100936	26.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	107.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	163148	25.25	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.00%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	8995	1.502 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112020\
Data File : VW017421.D
Acq On : 20 Nov 2020 16:46
Operator : SY/VA
Sample : VIBLK11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Quant Time: Nov 21 01:42:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.502 ug/L
RT: 4.93 min Scan# 496
Delta R.T. 0.01 min
Lab File: VW017421.D
Acq: 20 Nov 2020 16:46

Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Tot Ion: 84 Resp: 8995

Ion	Ratio	Lower	Upper
84	100		
49	102.9	71.5	132.9
86	63.7	42.8	79.4

