

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112020\
 Data File : VW017427.D
 Acq On : 20 Nov 2020 19:06
 Operator : SY/VA
 Sample : VIBLK14
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK14

Quant Time: Nov 21 02:10:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 21 00:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	395778	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	365365	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	193457	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	100386	17.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.52%
7) Chloroethane-d5	2.89	69	88103	18.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.72%
10) 1,1-Dichloroethene-d2	4.02	63	147586	14.40	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.60%
20) 2-Butanone-d5	7.08	46	46587	48.41	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.82%
24) Chloroform-d	7.65	84	210171	20.21	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.84%
26) 1,2-Dichloroethane-d4	8.31	65	110523	22.00	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.00%
29) Benzene-d6	8.27	84	422089	20.49	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.96%
33) 1,2-Dichloropropane-d6	9.27	67	111921	20.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.60%
37) Toluene-d8	10.32	98	414566	21.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.52%
38) trans-1,3-Dichloropropene-	10.58	79	51099	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.56%
39) 2-Hexanone-d5	10.93	63	41840	56.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	99084	23.83	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	163107	22.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.36%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	8818	1.303 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112020\
Data File : VW017427.D
Acq On : 20 Nov 2020 19:06
Operator : SY/VA
Sample : VIBLK14
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK14

Quant Time: Nov 21 02:10:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 00:30:34 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.303 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW017427.D
Acq: 20 Nov 2020 19:06

Instrument :
MSVOA_W
ClientSampleId :
VIBLK14

Tot Ion: 84 Resp: 8818

Ion	Ratio	Lower	Upper
84	100		
49	101.1	71.5	132.9
86	56.7	42.8	79.4

