

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112020\
 Data File : VW017433.D
 Acq On : 20 Nov 2020 22:14
 Operator : SY/VA
 Sample : L4819-12
 Misc : 3.05G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BA7

Quant Time: Nov 21 03:02:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Nov 21 02:27:17 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	260829	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	236739	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	117540	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	76799	19.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.56%
7) Chloroethane-d5	2.89	69	67267	21.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.72%
10) 1,1-Dichloroethene-d2	4.02	63	109090	16.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.60%
20) 2-Butanone-d5	7.08	46	30286	47.76	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.52%
24) Chloroform-d	7.65	84	153216	22.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.44%
26) 1,2-Dichloroethane-d4	8.30	65	77587	23.43	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.72%
29) Benzene-d6	8.27	84	299396	22.43	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.72%
33) 1,2-Dichloropropane-d6	9.27	67	81152	22.82	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.28%
37) Toluene-d8	10.32	98	285445	22.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.88%
38) trans-1,3-Dichloropropene-	10.58	79	34264	22.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.52%
39) 2-Hexanone-d5	10.93	63	23918	50.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.34%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	66551	24.70	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.80%
61) 1,2-Dichlorobenzene-d4	13.85	152	107310	24.73	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.92%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	5764	1.292 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112020\
Data File : VW017433.D
Acq On : 20 Nov 2020 22:14
Operator : SY/VA
Sample : L4819-12
Misc : 3.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BA7

Quant Time: Nov 21 03:02:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Sat Nov 21 02:27:17 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.292 ug/L

RT: 4.92 min Scan# 494

Delta R.T. -0.01 min

Lab File: VW017433.D

Acq: 20 Nov 2020 22:14

Instrument :

MSVOA_W

ClientSampleId :

C0BA7

Tot Ion: 84 Resp: 5764

Ion Ratio Lower Upper

84 100

49 94.2 71.5 132.9

86 62.7 42.8 79.4

