

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112520\
 Data File : VW017504.D
 Acq On : 25 Nov 2020 15:27
 Operator : SY/VA
 Sample : L4794-05
 Misc : 5.01G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 11/27/2020 1:21:06 PM

Quant Time: Nov 26 08:07:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Nov 26 07:23:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	430563	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	390305	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	195159	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	131531	23.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.88%
7) Chloroethane-d5	2.89	69	104814	21.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.72%
10) 1,1-Dichloroethene-d2	4.03	63	219835	17.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.72%
20) 2-Butanone-d5	7.08	46	60345	50.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.04%
24) Chloroform-d	7.65	84	284654	23.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	8.31	65	150948	25.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.60%
29) Benzene-d6	8.27	84	575268	23.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.88%
33) 1,2-Dichloropropane-d6	9.27	67	162408	24.45	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.80%
37) Toluene-d8	10.32	98	527040	24.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.44%
38) trans-1,3-Dichloropropene-	10.58	79	69763	23.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.04%
39) 2-Hexanone-d5	10.93	63	42173	51.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	119999	25.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	185223	25.64	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.56%

Target Compounds					Ovalue
13) Acetone	4.14	43	2654m	2.309 ug/L	
16) Methylene chloride	4.92	84	31570	4.884 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112520\
Data File : VW017504.D
Acq On : 25 Nov 2020 15:27
Operator : SY/VA
Sample : L4794-05
Misc : 5.01G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
11/27/2020 1:21:06 PM

Quant Time: Nov 26 08:07:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Thu Nov 26 07:23:09 2020
Response via : Initial Calibration

