

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW113018\
 Data File : VW007151.D
 Acq On : 30 Nov 2018 19:24
 Operator : SY/AP
 Sample : J6077-02
 Misc : 6.11G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F9Y36

Quant Time: Nov 30 23:28:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM113018S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 30 15:51:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	140940	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	138947	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	68687	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	28994	24.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.72%
7) Chloroethane-d5	2.89	69	21822	25.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.52%
10) 1,1-Dichloroethene-d2	4.02	63	58738	18.80	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.20%
20) 2-Butanone-d5	7.08	46	23482	48.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.72%
24) Chloroform-d	7.65	84	72067	24.41	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.64%
26) 1,2-Dichloroethane-d4	8.31	65	46116	26.98	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.92%
29) Benzene-d6	8.28	84	165279	25.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.12%
33) 1,2-Dichloropropane-d6	9.27	67	48479	25.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.52%
37) Toluene-d8	10.32	98	174290	24.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.84%
38) trans-1,3-Dichloropropene-	10.58	79	22511	24.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.36%
39) 2-Hexanone-d5	10.93	63	20431	46.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.18%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	41937	24.34	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.36%
61) 1,2-Dichlorobenzene-d4	13.86	152	66423	25.77	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.08%


Target Compounds					Ovalue
13) Acetone	4.13	43	1654	4.862 ug/L	97
16) Methylene chloride	4.93	84	6588	2.924 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW113018\
Data File : VW007151.D
Acq On : 30 Nov 2018 19:24
Operator : SY/AP
Sample : J6077-02
Misc : 6.11G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F9Y36

Quant Time: Nov 30 23:28:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM113018S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 30 15:51:51 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.862 ug/L

RT: 4.13 min Scan# 365

Delta R.T. 0.00 min

Lab File: VW007151.D

Acq: 30 Nov 2018 19:24

Instrument :

MSVOA_W

ClientSampleId :


F9Y36

Tot Ion: 43 Resp: 1654

Ion Ratio Lower Upper




43 100

58 29.7 0.0 62.4



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW



#16

Methylene chloride

Concen: 2.924 ug/L

RT: 4.93 min Scan# 496

Delta R.T. 0.00 min

Lab File: VW007151.D

Acq: 30 Nov 2018 19:24


Tgt Ion: 84 Resp: 6588

Ion Ratio Lower Upper

84 100

49 93.3 80.9 150.3

86 59.8 42.8 79.6



Abundance Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

