

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW113020\
 Data File : VW017512.D
 Acq On : 30 Nov 2020 11:43
 Operator : SY/VA
 Sample : L4860-20
 Misc : 5.04G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Nov 30 12:51:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 30 12:31:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	453658	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	411104	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	216082	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	135671	22.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.92%
7) Chloroethane-d5	2.89	69	109046	21.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.60%
10) 1,1-Dichloroethene-d2	4.03	63	229641	17.28	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.12%
20) 2-Butanone-d5	7.08	46	63481	50.44	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.88%
24) Chloroform-d	7.65	84	307283	23.84	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.36%
26) 1,2-Dichloroethane-d4	8.30	65	158226	25.02	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.08%
29) Benzene-d6	8.28	84	607957	24.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.20%
33) 1,2-Dichloropropane-d6	9.27	67	173300	24.77	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.08%
37) Toluene-d8	10.33	98	560725	24.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.44%
38) trans-1,3-Dichloropropene-	10.58	79	78779	25.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.80%
39) 2-Hexanone-d5	10.93	63	46439	53.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	129086	25.65	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.60%
61) 1,2-Dichlorobenzene-d4	13.85	152	202066	25.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.04%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	10038	1.474 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW113020\
Data File : VW017512.D
Acq On : 30 Nov 2020 11:43
Operator : SY/VA
Sample : L4860-20
Misc : 5.04G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Nov 30 12:51:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 30 12:31:54 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.474 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. -0.00 min
 Lab File: VW017512.D
 Acq: 30 Nov 2020 11:43

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
49	130.6	81.2	150.8
86	65.4	44.5	82.7

