

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120219\
 Data File : VW014204.D
 Acq On : 02 Dec 2019 15:28
 Operator : SY/VA
 Sample : K6089-15RE
 Misc : 2.99G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BR3RE

Quant Time: Dec 02 17:16:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 02 16:00:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	91488	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	33993	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	3754	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	35994	24.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.64%
7) Chloroethane-d5	2.89	69	41930	35.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	141.72%
10) 1,1-Dichloroethene-d2	4.01	63	48157	16.08	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.32%
20) 2-Butanone-d5	7.07	46	61402	144.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	289.60%#
24) Chloroform-d	7.65	84	113392	40.31	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	161.24%#
26) 1,2-Dichloroethane-d4	8.31	65	54736	38.70	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	154.80%#
29) Benzene-d6	8.27	84	182677	75.74	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	302.96%#
33) 1,2-Dichloropropane-d6	9.27	67	65988	93.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	373.60%#
37) Toluene-d8	10.32	98	70323	30.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	123.00%
38) trans-1,3-Dichloropropene-	10.58	79	6911	22.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.36%
39) 2-Hexanone-d5	10.92	63	20894	155.95	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	311.90%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	48180	90.31	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	361.24%#
61) 1,2-Dichlorobenzene-d4	13.85	152	4796	31.80	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	127.20%#

Target Compounds

					Ovalue
13) Acetone	4.12	43	8060	18.679	ug/L 98
16) Methylene chloride	4.92	84	3742	2.125	ug/L 91
36) Methylcyclohexane	9.34	83	3533	2.963	ug/L # 81
44) Toluene	10.38	91	4012	1.476	ug/L 85
54) m,p-Xylene	11.84	106	1202	1.037	ug/L # 39
55) o-xylene	12.16	106	533	0.491	ug/L 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120219\
Data File : VW014204.D
Acq On : 02 Dec 2019 15:28
Operator : SY/VA
Sample : K6089-15RE
Misc : 2.99G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BR3RE

Quant Time: Dec 02 17:16:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 02 16:00:46 2019
Response via : Initial Calibration

