

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120219\
 Data File : VW014206.D
 Acq On : 02 Dec 2019 16:21
 Operator : SY/VA
 Sample : K6007-22
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Dec 03 10:13:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 03 10:03:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	284024	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	287729	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	161771	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	78922	17.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.68%
7) Chloroethane-d5	2.89	69	70129	19.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.36%
10) 1,1-Dichloroethene-d2	4.02	63	127620	13.72	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	54.88%
20) 2-Butanone-d5	7.07	46	67867	51.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.10%
24) Chloroform-d	7.65	84	202799	23.22	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.88%
26) 1,2-Dichloroethane-d4	8.30	65	109927	25.04	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.16%
29) Benzene-d6	8.27	84	400824	19.63	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.52%
33) 1,2-Dichloropropane-d6	9.27	67	128267	21.45	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.80%
37) Toluene-d8	10.32	98	369252	19.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.28%
38) trans-1,3-Dichloropropene-	10.58	79	52349	20.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.76%
39) 2-Hexanone-d5	10.92	63	55641	49.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	113089	25.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	141965	21.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.36%


Target Compounds					Ovalue
13) Acetone	4.12	43	3361	2.509 ug/L	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120219\
Data File : VW014206.D
Acq On : 02 Dec 2019 16:21
Operator : SY/VA
Sample : K6007-22
Misc : 5.08G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Dec 03 10:13:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111119S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 03 10:03:32 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.509 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW014206.D

Acq: 02 Dec 2019 16:21

Instrument :

MSVOA_W

ClientSampleId :

VHBLK01

Tot Ion: 43 Resp: 3361

Ion Ratio Lower Upper

43 100

58 14.6 0.0 65.4

