

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120221\
 Data File : VW021019.D
 Acq On : 02 Dec 2021 03:04
 Operator : SY/VA
 Sample : M4881-07
 Misc : 3.92g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW9E3

Manual IntegrationsAPPROVED

Quant Time: Dec 02 07:30:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM111521SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 02 07:10:34 2021
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 12/03/2021
 Supervised By :Amit Patel 12/07/2021



TIC: VW021019.D\data.ms

(13) Acetone (T)

4.147min (+ 0.024) 2.49 ug/L

response 725

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	15.45
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120221\
 Data File : VW021019.D
 Acq On : 02 Dec 2021 03:04
 Operator : SY/VA
 Sample : M4881-07
 Misc : 3.92g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW9E3

Manual IntegrationsAPPROVED

Quant Time: Dec 02 07:30:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM111521SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 02 07:10:34 2021
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 12/03/2021
 Supervised By :Amit Patel 12/07/2021



TIC: VW021019.D\data.ms

(13) Acetone (T)

4.147min (+ 0.024) 3.65 ug/L m

response 1065

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	10.52
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120221\
 Data File : VW021019.D
 Acq On : 02 Dec 2021 03:04
 Operator : SY/VA
 Sample : M4881-07
 Misc : 3.92g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW9E3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/03/2021
 Supervised By :Amit Patel 12/07/2021

Quant Time: Dec 02 07:30:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM111521SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 02 07:10:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	112833	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	85381	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	20754	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	23832	18.209	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	72.840%		
7) Chloroethane-d5	2.885	69	17362	20.569	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.280%		
11) 1,1-Dichloroethene-d2	4.013	63	30837	12.177	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	48.720%		
21) 2-Butanone-d5	7.086	46	12029	36.822	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	73.640%		
24) Chloroform-d	7.653	84	60861	21.407	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.640%		
26) 1,2-Dichloroethane-d4	8.305	65	32193	22.309	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	89.240%		
32) Benzene-d6	8.275	84	105918	23.537	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	94.160%		
36) 1,2-Dichloropropane-d6	9.275	67	33487	26.133	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	104.520%		
41) Toluene-d8	10.323	98	91709	20.533	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.120%		
43) trans-1,3-Dichloroprop...	10.579	79	11555	19.078	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	76.320%		
47) 2-Hexanone-d5	10.927	63	9709	45.684	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	91.360%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	24652	25.113	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	100.440%		
66) 1,2-Dichlorobenzene-d4	13.853	152	17448	23.588	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.360%		
Target Compounds						
13) Acetone	4.147	43	1065m	3.651	ug/L	Qvalue 82
16) Methylene chloride	4.916	84	6783	4.310	ug/L	82
27) 1,2-Dichloroethane	8.403	62	1235	0.739	ug/L	98
53) m,p-Xylene	11.841	106	1771	0.720	ug/L	90
63) 1,2,4-Trimethylbenzene	13.249	105	1546	0.657	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120221\
Data File : VW021019.D
Acq On : 02 Dec 2021 03:04
Operator : SY/VA
Sample : M4881-07
Misc : 3.92g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW9E3

Manual IntegrationsAPPROVED

Quant Time: Dec 02 07:30:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM111521SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 02 07:10:34 2021
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 12/03/2021
Supervised By :Amit Patel 12/07/2021

