

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120318\
 Data File : VW007166.D
 Acq On : 03 Dec 2018 17:39
 Operator : SY/AP
 Sample : VIBLK88
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK88

Quant Time: Dec 04 12:29:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM113018S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 04 03:14:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	153840	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	147692	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	78181	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	25815	19.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.88%
7) Chloroethane-d5	2.89	69	21158	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.16%
10) 1,1-Dichloroethene-d2	4.02	63	51933	15.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.92%
20) 2-Butanone-d5	7.08	46	25420	47.96	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.92%
24) Chloroform-d	7.65	84	58577	18.18	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	72.72%
26) 1,2-Dichloroethane-d4	8.31	65	43933	23.55	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.20%
29) Benzene-d6	8.28	84	151084	21.53	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.12%
33) 1,2-Dichloropropane-d6	9.27	67	45284	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.08%
37) Toluene-d8	10.33	98	158671	21.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.52%
38) trans-1,3-Dichloropropene-	10.58	79	21861	22.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.96%
39) 2-Hexanone-d5	10.93	63	23558	50.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.00%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	43344	23.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.64%
61) 1,2-Dichlorobenzene-d4	13.86	152	64660	22.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.16%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	5227	2.125 ug/L	91




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120318\
Data File : VW007166.D
Acq On : 03 Dec 2018 17:39
Operator : SY/AP
Sample : VIBLK88
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK88

Quant Time: Dec 04 12:29:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM113018S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 04 03:14:20 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.125 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. -0.00 min
 Lab File: VW007166.D
 Acq: 03 Dec 2018 17:39

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK88

Tot Ion	84	Resp	5227
Ion	Ratio	Lower	Upper
84	100		
49	130.9	80.9	150.3
86	61.1	42.8	79.6

