

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120320\
 Data File : VW017528.D
 Acq On : 03 Dec 2020 10:41
 Operator : SY/VA
 Sample : VW1203SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK12

Manual Integrations
 APPROVED

MMDadoda
 12/21/2020 1:35:17 PM

Quant Time: Dec 20 01:21:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 20 00:31:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	437255	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	392476	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	193239	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	127728	22.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.84%
7) Chloroethane-d5	2.90	69	104396	21.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.04%
10) 1,1-Dichloroethene-d2	4.03	63	217552	16.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.96%
20) 2-Butanone-d5	7.09	46	55573	45.81	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.62%
24) Chloroform-d	7.65	84	280648	22.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.36%
26) 1,2-Dichloroethane-d4	8.31	65	141330	23.19	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.76%
29) Benzene-d6	8.28	84	556287	23.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.20%
33) 1,2-Dichloropropane-d6	9.28	67	156823	23.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.92%
37) Toluene-d8	10.33	98	511343	23.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.08%
38) trans-1,3-Dichloropropene-	10.58	79	66727	22.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.44%
39) 2-Hexanone-d5	10.93	63	37323	45.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.30%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	109537	22.80	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.20%
61) 1,2-Dichlorobenzene-d4	13.85	152	179430	25.08	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.32%

Target Compounds				Ovalue
16) Methylene chloride	4.92	84	9717m	1.480 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120320\
Data File : VW017528.D
Acq On : 03 Dec 2020 10:41
Operator : SY/VA
Sample : VW1203SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VBLK12

Manual Integrations
APPROVED

MMDadoda
12/21/2020 1:35:17 PM

Quant Time: Dec 20 01:21:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 20 00:31:51 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.480 ug/L m
 RT: 4.92 min Scan# 495
 Delta R.T. -0.00 min
 Lab File: VW017528.D
 Acq: 03 Dec 2020 10:41

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK12

Tot Ion	Ratio	Lower	Upper
84	100		
49	115.1	81.2	150.8
86	60.1	44.5	82.7

Manual Integrations
 APPROVED

MMDadoda
 12/21/2020 1:35:17 PM

