

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120321\
 Data File : VW021073.D
 Acq On : 03 Dec 2021 18:52
 Operator : SY/VA
 Sample : M4881-18RE
 Misc : 3.47g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW9F4RE

Quant Time: Dec 04 01:40:50 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Dec 04 01:31:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	88646	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	50342	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	9646	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	20655	16.724	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.880%
7) Chloroethane-d5	2.885	69	16812	20.334	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.320%
11) 1,1-Dichloroethene-d2	4.013	63	23999	12.163	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	48.640%
21) 2-Butanone-d5	7.080	46	12078	42.873	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.740%
24) Chloroform-d	7.647	84	52265	23.543	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.160%
26) 1,2-Dichloroethane-d4	8.305	65	26899	22.148	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.600%
32) Benzene-d6	8.275	84	85402	33.178	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	132.720%
36) 1,2-Dichloropropane-d6	9.274	67	28320	39.591	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	158.360%#
41) Toluene-d8	10.323	98	60575	22.951	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.800%
43) trans-1,3-Dichloroprop...	10.579	79	6133	18.882	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.520%
47) 2-Hexanone-d5	10.927	63	7784	56.876	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.760%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	18034	27.251	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.000%
66) 1,2-Dichlorobenzene-d4	13.853	152	7538	21.810	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.240%
Target Compounds						
					Qvalue	
13) Acetone	4.135	43	1459	5.686	ug/L	96
27) 1,2-Dichloroethane	8.403	62	3890	2.727	ug/L	98
34) Trichloroethene	9.092	95	2697	3.415	ug/L	90
42) Toluene	10.390	91	6989	2.137	ug/L	91
46) Tetrachloroethene	10.860	164	2474	3.421	ug/L	89
52) Ethylbenzene	11.731	91	4414	1.199	ug/L	99
53) m,p-Xylene	11.835	106	6922	4.546	ug/L	82
54) o-Xylene	12.164	106	2229	1.553	ug/L	86
63) 1,2,4-Trimethylbenzene	13.249	105	751	0.665	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120321\
Data File : VW021073.D
Acq On : 03 Dec 2021 18:52
Operator : SY/VA
Sample : M4881-18RE
Misc : 3.47g/10.0mL/MSVOA_W/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW9F4RE

Quant Time: Dec 04 01:40:50 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Dec 04 01:31:24 2021
Response via : Initial Calibration

