

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120321\
 Data File : VW021131.D
 Acq On : 04 Dec 2021 20:28
 Operator : SY/VA
 Sample : M4885-20
 Misc : 5.16g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW9M5

Quant Time: Dec 06 00:51:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Dec 04 04:50:24 2021
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	72633	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	43502	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	9817	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	45732	45.191	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 180.760%#	
7) Chloroethane-d5	2.886	69	29084	42.933	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 171.720%#	
11) 1,1-Dichloroethene-d2	4.019	63	46581	28.813	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	= 115.240%#	
21) 2-Butanone-d5	7.080	46	13992	60.617	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 121.240%	
24) Chloroform-d	7.653	84	66056	36.315	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 145.240%	
26) 1,2-Dichloroethane-d4	8.305	65	33763	33.928	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	= 135.720%#	
32) Benzene-d6	8.275	84	121803	54.760	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 219.040%#	
36) 1,2-Dichloropropane-d6	9.275	67	34994	56.613	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 226.440%#	
41) Toluene-d8	10.323	98	96994	42.527	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 170.120%#	
43) trans-1,3-Dichloroprop...	10.579	79	8700	30.997	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 124.000%	
47) 2-Hexanone-d5	10.927	63	9240	78.130	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 156.260%#	
56) 1,1,2,2-Tetrachloroeth...	12.695	84	19216	33.603	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 134.400%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	10674	30.346	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 121.400%#	
Target Compounds						
					Qvalue	
13) Acetone	4.123	43	1241	5.902	ug/L	89
16) Methylene chloride	4.910	84	5393	4.713	ug/L	75
27) 1,2-Dichloroethane	8.403	62	1591	1.361	ug/L	# 81
34) Trichloroethene	9.092	95	185309	271.522	ug/L	91
35) Methylcyclohexane	9.342	83	1226	1.067	ug/L	86
42) Toluene	10.384	91	5945	2.104	ug/L	96
46) Tetrachloroethene	10.866	164	2615	4.184	ug/L	97
53) m,p-Xylene	11.835	106	1382	1.050	ug/L	97
54) o-Xylene	12.164	106	1064	0.858	ug/L	93
63) 1,2,4-Trimethylbenzene	13.249	105	855	0.744	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120321\
Data File : VW021131.D
Acq On : 04 Dec 2021 20:28
Operator : SY/VA
Sample : M4885-20
Misc : 5.16g/10.0mL/MSVOA_W/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW9M5

Quant Time: Dec 06 00:51:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Dec 04 04:50:24 2021
Response via : Initial Calibration

