

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW120418\
 Data File : VW007186.D
 Acq On : 04 Dec 2018 14:29
 Operator : SY/AP
 Sample : VSTDICV050
 Misc : 5.00G/5ML/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW120418

Quant Time: Dec 05 05:43:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W120418S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 04 14:18:19 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	91	0.00
2 T	Dichlorodifluoromethane	0.547	0.494	9.7	91	0.00
3 P	Chloromethane	0.693	0.593	14.4	83	0.00
4 C	Vinyl Chloride	0.434	0.430	0.9#	91	0.00
5 T	Bromomethane	0.217	0.244	-12.4	102	0.00
6 T	Chloroethane	0.243	0.243	0.0	92	0.00
7 T	Trichlorofluoromethane	0.846	0.806	4.7	91	0.00
8 T	Diethyl Ether	0.236	0.227	3.8	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.511	0.500	2.2	91	0.00
10 T	Methyl Iodide	0.435	0.445	-2.3	95	0.00
11 T	Tert butyl alcohol	0.054	0.049	9.3	107	-0.02
12 CM	1,1-Dichloroethene	0.479	0.463	3.3#	91	0.00
13 T	Acrolein	0.033	0.032	3.0	91	0.00
14 T	Allyl chloride	0.767	0.745	2.9	89	0.00
15 T	Acrylonitrile	0.099	0.105	-6.1	91	0.00
16 T	Acetone	0.110	0.125	-13.6	90	0.00
17 T	Carbon Disulfide	1.578	1.543	2.2	89	0.00
18 T	Methyl Acetate	0.252	0.252	0.0	90	0.00
19 T	Methyl tert-butyl Ether	1.127	1.127	0.0	88	0.00
20 T	Methylene Chloride	0.655	0.545	16.8	88	0.00
21 T	trans-1,2-Dichloroethene	0.535	0.515	3.7	89	0.00
22 T	Diisopropyl ether	1.378	1.376	0.1	87	0.00
23 T	Vinyl Acetate	0.752	0.792	-5.3	90	0.00
24 P	1,1-Dichloroethane	0.883	0.871	1.4	90	0.00
25 T	2-Butanone	0.128	0.134	-4.7	88	0.00
26 T	2,2-Dichloropropane	0.848	0.838	1.2	91	0.00
27 T	cis-1,2-Dichloroethene	0.573	0.560	2.3	89	0.00
28 T	Bromochloromethane	0.318	0.307	3.5	91	0.00
29 T	Tetrahydrofuran	0.079	0.082	-3.8	90	0.00
30 C	Chloroform	0.918	0.885	3.6#	89	0.00
31 T	Cyclohexane	0.924	0.902	2.4	92	0.00
32 T	1,1,1-Trichloroethane	0.864	0.862	0.2	90	0.00
33 S	1,2-Dichloroethane-d4	0.466	0.458	1.7	90	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.286	0.282	1.4	88	0.00
36 T	1,1-Dichloropropene	0.487	0.484	0.6	88	0.00
37 T	Ethyl Acetate	0.176	0.180	-2.3	90	0.00
38 T	Carbon Tetrachloride	0.497	0.494	0.6	90	0.00
39 T	Methylcyclohexane	0.651	0.667	-2.5	92	0.00
40 TM	Benzene	1.334	1.339	-0.4	89	0.00
41 T	Methacrylonitrile	0.105	0.107	-1.9	84	0.00
42 TM	1,2-Dichloroethane	0.373	0.372	0.3	90	0.00
43 T	Isopropyl Acetate	0.342	0.355	-3.8	89	0.00
44 TM	Trichloroethene	0.375	0.376	-0.3	88	0.00
45 C	1,2-Dichloropropane	0.310	0.312	-0.6#	89	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW120418\
 Data File : VW007186.D
 Acq On : 04 Dec 2018 14:29
 Operator : SY/AP
 Sample : VSTDICV050
 Misc : 5.00G/5ML/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW120418

Quant Time: Dec 05 05:43:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W120418S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 04 14:18:19 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.161	0.163	-1.2	92	0.00
47 T	Bromodichloromethane	0.424	0.409	3.5	86	0.00
48 T	Methyl methacrylate	0.177	0.181	-2.3	83	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	97	0.00
50 S	Toluene-d8	1.261	1.262	-0.1	89	0.00
51 T	4-Methyl-2-Pentanone	0.168	0.181	-7.7	89	0.00
52 CM	Toluene	0.928	0.941	-1.4#	90	0.00
53 T	t-1,3-Dichloropropene	0.427	0.441	-3.3	89	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.501	-0.2	86	0.00
55 T	1,1,2-Trichloroethane	0.229	0.229	0.0	89	0.00
56 T	Ethyl methacrylate	0.299	0.326	-9.0	92	0.00
57 T	1,3-Dichloropropane	0.387	0.395	-2.1	90	0.00
58 T	2-Chloroethyl Vinyl ether	0.120	0.123	-2.5	90	0.00
59 T	2-Hexanone	0.122	0.136	-11.5	90	0.00
60 T	Dibromochloromethane	0.282	0.282	0.0	89	0.00
61 T	1,2-Dibromoethane	0.220	0.229	-4.1	90	0.00
62 S	4-Bromofluorobenzene	0.476	0.465	2.3	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.365	0.378	-3.6	88	0.00
65 PM	Chlorobenzene	1.117	1.154	-3.3	87	0.00
66 T	1,1,1,2-Tetrachloroethane	0.345	0.359	-4.1	88	0.00
67 C	Ethyl Benzene	2.035	2.074	-1.9#	88	0.00
68 T	m/p-Xylenes	0.798	0.840	-5.3	91	0.00
69 T	o-Xylene	0.746	0.761	-2.0	87	0.00
70 T	Styrene	1.221	1.235	-1.1	86	0.00
71 P	Bromoform	0.173	0.186	-7.5	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	4.067	4.250	-4.5	89	0.00
74 T	N-amyl acetate	0.721	0.783	-8.6	86	0.00
75 P	1,1,2,2-Tetrachloroethane	0.528	0.577	-9.3	90	0.00
76 T	1,2,3-Trichloropropane	0.387	0.452	-16.8	115	0.00
77 T	Bromobenzene	0.878	0.900	-2.5	90	0.00
78 T	n-propylbenzene	4.845	4.967	-2.5	93	0.00
79 T	2-Chlorotoluene	2.736	2.732	0.1	86	0.00
80 T	1,3,5-Trimethylbenzene	3.479	3.451	0.8	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.197	-9.4	86	0.00
82 T	4-Chlorotoluene	2.911	2.995	-2.9	93	0.00
83 T	tert-Butylbenzene	3.040	3.166	-4.1	93	0.00
84 T	1,2,4-Trimethylbenzene	3.551	3.472	2.2	85	0.00
85 T	sec-Butylbenzene	4.340	4.390	-1.2	92	0.00
86 T	p-Isopropyltoluene	3.864	3.955	-2.4	93	0.00
87 T	1,3-Dichlorobenzene	1.802	1.861	-3.3	93	0.00
88 T	1,4-Dichlorobenzene	1.820	1.800	1.1	87	0.00
89 T	n-Butylbenzene	3.611	3.736	-3.5	93	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW120418\
Data File : VW007186.D
Acq On : 04 Dec 2018 14:29
Operator : SY/AP
Sample : VSTDICV050
Misc : 5.00G/5ML/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ICVW120418

Quant Time: Dec 05 05:43:16 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W120418S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 04 14:18:19 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.589	0.606	-2.9	88	0.00
91 T	1,2-Dichlorobenzene	1.560	1.589	-1.9	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.102	0.106	-3.9	85	0.00
93 T	1,2,4-Trichlorobenzene	1.081	1.077	0.4	86	0.00
94 T	Hexachlorobutadiene	0.583	0.582	0.2	88	0.00
95 T	Naphthalene	1.938	2.022	-4.3	86	0.00
96 T	1,2,3-Trichlorobenzene	0.912	0.899	1.4	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6