

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120420\
 Data File : VW017546.D
 Acq On : 04 Dec 2020 11:20
 Operator : SY/VA
 Sample : L4920-11
 Misc : 5.31G/10ML/MSVOA W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4F7

Quant Time: Dec 20 03:05:07 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 20 01:44:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	482310	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	441648	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	208832	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	107017	16.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.48%
7) Chloroethane-d5	2.90	69	95927	17.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.68%
10) 1,1-Dichloroethene-d2	4.03	63	193727	13.71	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	54.84%
20) 2-Butanone-d5	7.09	46	53785	40.20	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.40%
24) Chloroform-d	7.65	84	276885	20.21	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.84%
26) 1,2-Dichloroethane-d4	8.31	65	140491	20.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.60%
29) Benzene-d6	8.28	84	528610	19.46	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.84%
33) 1,2-Dichloropropane-d6	9.27	67	154119	20.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.04%
37) Toluene-d8	10.33	98	483079	19.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.12%
38) trans-1,3-Dichloropropene-	10.58	79	62419	18.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.36%
39) 2-Hexanone-d5	10.93	63	35911	38.61	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.22%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	107419	19.87	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	162801	21.06	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.24%

Target Compounds					Ovalue
13) Acetone	4.14	43	3751	2.913 ug/L	94
16) Methylene chloride	4.93	84	23333	3.222 ug/L	90
47) Tetrachloroethene	10.87	164	684154	109.115 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120420\
Data File : VW017546.D
Acq On : 04 Dec 2020 11:20
Operator : SY/VA
Sample : L4920-11
Misc : 5.31G/10ML/MSVOA W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG4F7

Quant Time: Dec 20 03:05:07 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 20 01:44:20 2020
Response via : Initial Calibration

