


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120621\
Data File : VW021186.D
Acq On : 06 Dec 2021 22:50
Operator : SY/VA
Sample : M4888-18
Misc : 5.93g/10.0mL/MSVOA_W/SOIL
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EX8C3

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 12/08/2021
Supervised By :Semsettin Yesilyurt 12/19/2021

Quant Time: Dec 07 07:50:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Dec 07 07:23:32 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120621\
 Data File : VW021186.D
 Acq On : 06 Dec 2021 22:50
 Operator : SY/VA
 Sample : M4888-18
 Misc : 5.93g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EX8C3

Manual IntegrationsAPPROVED

Quant Time: Dec 07 07:50:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 07 07:23:32 2021
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 12/08/2021
 Supervised By :Semsettin Yesilyurt 12/19/2021



(13) Acetone (T)

4.123min (+ 0.000) 3.43 ug/L

response 611

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	33.06
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120621\
 Data File : VW021186.D
 Acq On : 06 Dec 2021 22:50
 Operator : SY/VA
 Sample : M4888-18
 Misc : 5.93g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EX8C3

Manual IntegrationsAPPROVED

Quant Time: Dec 07 07:50:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 07 07:23:32 2021
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 12/08/2021
 Supervised By :Semsettin Yesilyurt 12/19/2021



(13) Acetone (T)

4.123min (+ 0.000) 6.24 ug/L m

response 1111

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	18.18
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120621\
 Data File : VW021186.D
 Acq On : 06 Dec 2021 22:50
 Operator : SY/VA
 Sample : M4888-18
 Misc : 5.93g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EX8C3

Manual Integrations APPROVED

Reviewed By : Mahesh Dadoda 12/08/2021
 Supervised By : Semsettin Yesilyurt 12/19/2021

Quant Time: Dec 07 07:50:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120321SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 07 07:23:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	61542	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	65488	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	33988	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	20297	23.672	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.680%		
7) Chloroethane-d5	2.879	69	13507	23.532	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.120%		
11) 1,1-Dichloroethene-d2	4.013	63	22224	16.224	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.880%		
21) 2-Butanone-d5	7.080	46	19307	98.717	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	197.440%#		
24) Chloroform-d	7.647	84	42743	27.733	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	110.920%		
26) 1,2-Dichloroethane-d4	8.305	65	29627	35.138	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	140.560%#		
32) Benzene-d6	8.275	84	79600	23.772	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.080%		
36) 1,2-Dichloropropane-d6	9.274	67	24843	26.698	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	106.800%		
41) Toluene-d8	10.323	98	77686	22.626	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	90.520%		
43) trans-1,3-Dichloroprop...	10.579	79	11272	26.678	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	106.720%		
47) 2-Hexanone-d5	10.920	63	15264	85.736	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	171.480%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	28331	32.910	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	131.640%#		
66) 1,2-Dichlorobenzene-d4	13.847	152	28051	23.034	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.120%		
Target Compounds						
13) Acetone	4.123	43	1111m	6.236	ug/L	Qvalue
46) Tetrachloroethene	10.860	164	12737	13.539	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed