




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120623\
 Data File : VW027565.D
 Acq On : 06 Dec 2023 13:51
 Operator : SY/MD
 Sample : VW1206SBL03
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK400

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/11/2023
 Supervised By :Mahesh Dadoda 12/11/2023

Quant Time: Dec 07 07:02:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 07 06:54:07 2023
 Response via : Initial Calibration



TIC: VW027565.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.221min (-0.086) 0.02 ug/L

response 68

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	54.20	50.00
51.00	135.30	126.47
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120623\
 Data File : VW027565.D
 Acq On : 06 Dec 2023 13:51
 Operator : SY/MD
 Sample : VW1206SBL03
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK400

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/11/2023
 Supervised By :Mahesh Dadoda 12/11/2023

Quant Time: Dec 07 07:02:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 07 06:54:07 2023
 Response via : Initial Calibration



TIC: VW027565.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 19.84 ug/L m

response 73759

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	54.20	0.05#
51.00	135.30	0.12#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw120623\
 Data File : VW027565.D
 Acq On : 06 Dec 2023 13:51
 Operator : SY/MD
 Sample : VW1206SBL03
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK400

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/11/2023
 Supervised By :Mahesh Dadoda 12/11/2023

Quant Time: Dec 07 07:02:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 07 06:54:07 2023
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		243589	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		199113	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		88972	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		112098	22.868	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	91.480%		
7) Chloroethane-d5	2.899	69		80566	22.672	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	90.680%		
11) 1,1-Dichloroethene-d2	4.027	65		49854	24.036	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	96.160%		
21) 2-Butanone-d5	7.075	46		41620	32.402	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	64.800%		
24) Chloroform-d	7.654	84		155372	21.369	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	85.480%		
26) 1,2-Dichloroethane-d4	8.307	65		73759m	19.838	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	79.360%		
32) Benzene-d6	8.276	84		348089	24.821	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	99.280%		
36) 1,2-Dichloropropane-d6	9.276	67		95252	23.040	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	92.160%		
41) Toluene-d8	10.325	98		300466	24.488	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	97.960%		
43) trans-1,3-Dichloroprop...	10.575	79		30334	18.974	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	75.880%		
47) 2-Hexanone-d5	10.922	63		23922	31.055	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	62.120%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		62575	18.401	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	73.600%		
66) 1,2-Dichlorobenzene-d4	13.849	152		73289	23.499	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	94.000%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120623\
Data File : VW027565.D
Acq On : 06 Dec 2023 13:51
Operator : SY/MD
Sample : VW1206SBL03
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK400

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/11/2023
Supervised By :Mahesh Dadoda 12/11/2023

Quant Time: Dec 07 07:02:24 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 07 06:54:07 2023
Response via : Initial Calibration

