

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW120718\
 Data File : VW007324.D
 Acq On : 07 Dec 2018 23:08
 Operator : SY/AP
 Sample : J6236-12
 Misc : 5.33G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F9E22

Quant Time: Dec 08 04:03:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 08 02:02:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	141720	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	118657	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	49765	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	27401	29.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	118.72%
7) Chloroethane-d5	2.89	69	20826	26.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.56%
10) 1,1-Dichloroethene-d2	4.01	63	64539	20.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.08%
20) 2-Butanone-d5	7.08	46	20042	34.45	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.90%
24) Chloroform-d	7.65	84	87288	26.11	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.44%
26) 1,2-Dichloroethane-d4	8.31	65	51113	26.86	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.44%
29) Benzene-d6	8.27	84	174551	27.08	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	108.32%
33) 1,2-Dichloropropane-d6	9.27	67	50326	27.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	109.44%
37) Toluene-d8	10.32	98	162394	26.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	107.52%
38) trans-1,3-Dichloropropene-	10.58	79	21734	23.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.48%
39) 2-Hexanone-d5	10.93	63	14679	33.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	37144	22.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.68%
61) 1,2-Dichlorobenzene-d4	13.86	152	46854	26.76	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.04%


Target Compounds					Qvalue
13) Acetone	4.12	43	3127	4.622 ug/L	71


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW120718\
Data File : VW007324.D
Acq On : 07 Dec 2018 23:08
Operator : SY/AP
Sample : J6236-12
Misc : 5.33G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F9E22

Quant Time: Dec 08 04:03:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 08 02:02:23 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.622 ug/L

RT: 4.12 min Scan# 363

Delta R.T. -0.00 min

Lab File: VW007324.D

Acq: 07 Dec 2018 23:08

Instrument :

MSVOA_W

ClientSampleId :

F9E22

Tgt Ion: 43 Resp: 3127

Ion Ratio Lower Upper

43 100

58 14.1 0.0 59.2

