

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120823\
 Data File : VW027580.D
 Acq On : 08 Dec 2023 09:16
 Operator : SY/MD
 Sample : VW1208SBL07
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK404

Quant Time: Dec 09 02:02:13 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Dec 09 02:01:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	252300	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	216377	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	104998	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	103262	20.338	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	81.360%		
7) Chloroethane-d5	2.899	69	82909	22.526	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.120%		
11) 1,1-Dichloroethene-d2	4.027	65	46968	21.862	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	87.440%		
21) 2-Butanone-d5	7.081	46	65227	49.028	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	98.060%		
24) Chloroform-d	7.655	84	174167	23.127	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.520%		
26) 1,2-Dichloroethane-d4	8.307	65	92698	24.070	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.280%		
32) Benzene-d6	8.276	84	371508	24.377	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	97.520%		
36) 1,2-Dichloropropane-d6	9.276	67	112029	24.936	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	99.760%		
41) Toluene-d8	10.325	98	319758	23.981	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	95.920%		
43) trans-1,3-Dichloroprop...	10.581	79	40402	23.255	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	93.000%		
47) 2-Hexanone-d5	10.922	63	41846	49.989	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.980%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	92091	24.920	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	99.680%		
66) 1,2-Dichlorobenzene-d4	13.855	152	93095	25.294	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.160%		
Target Compounds						Qvalue
16) Methylene chloride	4.929	84	6912	1.680	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120823\
Data File : VW027580.D
Acq On : 08 Dec 2023 09:16
Operator : SY/MD
Sample : VW1208SBL07
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK404

Quant Time: Dec 09 02:02:13 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120623SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Dec 09 02:01:24 2023
Response via : Initial Calibration

