

Data File : VW014261.D
Acq On : 09 Dec 2019 13:05
Operator : SY/VA
Sample : VW1209SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK06

Quant Time: Dec 10 07:36:23 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 10 07:34:10 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1286441	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1147940	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	497805	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	438050	22.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.96%
7) Chloroethane-d5	2.89	69	333562	23.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.12%
10) 1,1-Dichloroethene-d2	4.24	63	311	0.01	ug/L	0.23
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.04%#
20) 2-Butanone-d5	7.07	46	231520	45.61	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.22%
24) Chloroform-d	7.75	84	458	0.01	ug/L	0.11
Spiked Amount	25.000	Range	40 - 150	Recovery	=	0.04%#
26) 1,2-Dichloroethane-d4	8.30	65	400680	23.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.32%
29) Benzene-d6	8.27	84	1587418	23.60	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.40%
33) 1,2-Dichloropropane-d6	9.27	67	482999	23.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.32%
37) Toluene-d8	10.32	98	1417603	23.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.20%
38) trans-1,3-Dichloropropene-	10.57	79	191902	22.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.40%
39) 2-Hexanone-d5	10.92	63	176296	42.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	372382	22.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	448001	23.55	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.20%


Target Compounds					Qvalue
13) Acetone	4.12	43	33972	6.941 ug/L	98
42) cis-1,3-Dichloropropene	10.03	75	11597	0.415 ug/L #	48


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW014261.D
Acq On : 09 Dec 2019 13:05
Operator : SY/VA
Sample : VW1209SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK06

Quant Time: Dec 10 07:36:23 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 10 07:34:10 2019
Response via : Initial Calibration





#13

Acetone

Concen: 6.941 ug/L

RT: 4.12 min Scan# 363

Delta R.T. 0.01 min

Lab File: VW014261.D

Acq: 09 Dec 2019 13:05

Instrument :

MSVOA_W

ClientSampleId :





VBLK06

Tgt Ion: 43 Resp: 33972

Ion Ratio Lower Upper

43 100

58 31.6 0.0 65.4



#42

cis-1,3-Dichloropropene

Concen: 0.415 ug/L

RT: 10.03 min Scan# 1333

Delta R.T. -0.04 min

Lab File: VW014261.D

Acq: 09 Dec 2019 13:05

Tgt Ion: 75 Resp: 11597

Ion Ratio Lower Upper

75 100

77 60.4 22.1 41.1#

