

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120919\
 Data File : VW014263.D
 Acq On : 09 Dec 2019 14:32
 Operator : SY/VA
 Sample : K6172-11
 Misc : 5.21G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BW7

Manual Integrations
 APPROVED

apatel
 12/10/2019 4:10:57 PM

Quant Time: Dec 10 07:51:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 10 07:34:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1243863	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1091296	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	431989	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.35	65	424308	22.53	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.12%		
7) Chloroethane-d5	2.89	69	320717	22.90	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.60%		
10) 1,1-Dichloroethene-d2	4.01	63	572400m	17.21	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	68.84%		
20) 2-Butanone-d5	7.07	46	231798	47.23	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.46%		
24) Chloroform-d	7.65	84	719400	22.72	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	90.88%		
26) 1,2-Dichloroethane-d4	8.31	65	401470	24.18	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.72%		
29) Benzene-d6	8.27	84	1530719	23.93	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.72%		
33) 1,2-Dichloropropane-d6	9.27	67	476311	24.21	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	96.84%		
37) Toluene-d8	10.32	98	1342643	23.22	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.88%		
38) trans-1,3-Dichloropropene-	10.57	79	191704	23.22	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	92.88%		
39) 2-Hexanone-d5	10.92	63	174181	44.52	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.04%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	366879	22.88	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	91.52%		
61) 1,2-Dichlorobenzene-d4	13.85	152	386171	23.39	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	93.56%		
Target Compounds						
13) Acetone	4.12	43	78332	16.552	ug/L	98
21) 2-Butanone	7.17	43	32242	5.075	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120919\
Data File : VW014263.D
Acq On : 09 Dec 2019 14:32
Operator : SY/VA
Sample : K6172-11
Misc : 5.21G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BW7

Manual Integrations
APPROVED

apatel
12/10/2019 4:10:57 PM

Quant Time: Dec 10 07:51:20 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 10 07:34:10 2019
Response via : Initial Calibration

