

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120924\
 Data File : VW031168.D
 Acq On : 09 Dec 2024 17:50
 Operator : SY/MD
 Sample : P5066-17
 Misc : 5.36g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E28N5

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 12/17/2024
 Supervised By :Mahesh Dadoda 12/17/2024

Quant Time: Dec 10 01:15:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 10 01:12:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	365775	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.629	117	306813	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	93853	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	67669	12.022	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	48.080%		
7) Chloroethane-d5	2.893	69	58383	13.369	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	53.480%		
11) 1,1-Dichloroethene-d2	4.009	65	32000	12.460	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	49.840%		
21) 2-Butanone-d5	7.106	46	35388m	35.948	ug/L	0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	71.900%		
24) Chloroform-d	7.648	84	169703	15.841	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	63.360%		
26) 1,2-Dichloroethane-d4	8.301	65	103256	19.587	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	78.360%		
32) Benzene-d6	8.270	84	274718	14.568	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	58.280%		
36) 1,2-Dichloropropane-d6	9.270	67	105660	19.128	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	76.520%		
41) Toluene-d8	10.319	98	221407	13.010	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	52.040%		
43) trans-1,3-Dichloroprop...	10.575	79	34113	15.340	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	61.360%		
47) 2-Hexanone-d5	10.922	63	24370	37.657	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	75.320%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	79890	21.430	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	85.720%		
66) 1,2-Dichlorobenzene-d4	13.848	152	50698	15.208	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	60.840%#		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120924\
Data File : VW031168.D
Acq On : 09 Dec 2024 17:50
Operator : SY/MD
Sample : P5066-17
Misc : 5.36g/10mL/MSVOA_W/SOIL/B
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E28N5

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 12/17/2024
Supervised By : Mahesh Dadoda 12/17/2024

Quant Time: Dec 10 01:15:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Dec 10 01:12:15 2024
Response via : Initial Calibration

