

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121019\
 Data File : VW014280.D
 Acq On : 10 Dec 2019 14:30
 Operator : SY/VA
 Sample : K6171-15
 Misc : 5.85G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BY9

Quant Time: Dec 11 04:34:23 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 11 04:05:19 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1212259	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1002645	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	354306	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	388910	21.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.76%
7) Chloroethane-d5	2.89	69	306208	22.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.72%
10) 1,1-Dichloroethene-d2	4.01	63	523342	16.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.56%
20) 2-Butanone-d5	7.07	46	161457	33.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.50%
24) Chloroform-d	7.64	84	701940	22.74	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.96%
26) 1,2-Dichloroethane-d4	8.30	65	370382	22.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.56%
29) Benzene-d6	8.27	84	1467131	24.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.88%
33) 1,2-Dichloropropane-d6	9.27	67	461725	25.54	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.16%
37) Toluene-d8	10.32	98	1254028	23.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.40%
38) trans-1,3-Dichloropropene-	10.58	79	155436	20.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.96%
39) 2-Hexanone-d5	10.92	63	126496	35.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.38%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	320455	21.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	330413	24.40	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.60%


Target Compounds					Ovalue
13) Acetone	4.12	43	35931	7.791 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121019\
Data File : VW014280.D
Acq On : 10 Dec 2019 14:30
Operator : SY/VA
Sample : K6171-15
Misc : 5.85G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BY9

Quant Time: Dec 11 04:34:23 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 11 04:05:19 2019
Response via : Initial Calibration





#13

Acetone

Concen: 7.791 ug/L

RT: 4.12 min Scan# 363

Delta R.T. -0.00 min

Lab File: VW014280.D

Acq: 10 Dec 2019 14:30

Instrument :

MSVOA_W

ClientSampleId :

C0BY9

Tot Ion: 43 Resp: 35931

Ion Ratio Lower Upper

43 100

58 31.4 0.0 65.4

