

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
 Data File : VW021282.D
 Acq On : 10 Dec 2021 13:58
 Operator : SY/VA
 Sample : M5004-15
 Misc : 5.42g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGKX4

Quant Time: Dec 10 22:09:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 10 22:05:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	95197	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	95162	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	52930	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	36651	21.139	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.560%
7) Chloroethane-d5	2.879	69	25864	22.566	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.280%
11) 1,1-Dichloroethene-d2	4.013	63	37765	16.338	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.360%
21) 2-Butanone-d5	7.080	46	11566	47.325	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.640%
24) Chloroform-d	7.647	84	60244	22.708	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.840%
26) 1,2-Dichloroethane-d4	8.305	65	31296	22.177	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.720%
32) Benzene-d6	8.275	84	114986	22.044	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.160%
36) 1,2-Dichloropropane-d6	9.274	67	31902	22.805	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.200%
41) Toluene-d8	10.323	98	110466	20.727	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.920%
43) trans-1,3-Dichloroprop...	10.579	79	13788	21.406	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.640%
47) 2-Hexanone-d5	10.920	63	9281	44.866	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.740%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	25449	21.162	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.640%
66) 1,2-Dichlorobenzene-d4	13.853	152	44908	21.892	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.560%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
Data File : VW021282.D
Acq On : 10 Dec 2021 13:58
Operator : SY/VA
Sample : M5004-15
Misc : 5.42g/10.0mL/MSVOA_W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGKX4

Quant Time: Dec 10 22:09:06 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 10 22:05:53 2021
Response via : Initial Calibration

