

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
 Data File : VW021288.D
 Acq On : 10 Dec 2021 16:36
 Operator : SY/VA
 Sample : M4881-23
 Misc : 5.00g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: Dec 10 22:10:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 10 22:05:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	83949	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	80060	25.000	ug/L	# 0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	41238	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	42775	27.977	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 111.920%	
7) Chloroethane-d5	2.885	69	29162	28.852	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 115.400%	
11) 1,1-Dichloroethene-d2	4.013	63	37336	18.317	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	= 73.280%	
21) 2-Butanone-d5	7.098	46	9275	43.036	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 86.080%	
24) Chloroform-d	7.647	84	50841	21.732	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 86.920%	
26) 1,2-Dichloroethane-d4	8.305	65	26630	21.399	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	= 85.600%	
32) Benzene-d6	8.275	84	99987	22.785	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 91.120%	
36) 1,2-Dichloropropane-d6	9.275	67	26623	22.621	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 90.480%	
41) Toluene-d8	10.323	98	98826	22.041	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 88.160%	
43) trans-1,3-Dichloroprop...	10.579	79	12093	22.316	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 89.280%	
47) 2-Hexanone-d5	10.927	63	7795	44.790	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 89.580%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	22351	22.092	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 88.360%	
66) 1,2-Dichlorobenzene-d4	13.853	152	37334	23.360	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 93.440%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
Data File : VW021288.D
Acq On : 10 Dec 2021 16:36
Operator : SY/VA
Sample : M4881-23
Misc : 5.00g/10.0mL/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Dec 10 22:10:06 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 10 22:05:53 2021
Response via : Initial Calibration

