




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
Data File : VW021310.D
Acq On : 11 Dec 2021 03:13
Operator : SY/VA
Sample : M5023-08
Misc : 6.03g/10.0mL/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGKY4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/12/2021
Supervised By :Mahesh Dadoda 12/15/2021

Quant Time: Dec 11 04:25:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 10 23:12:45 2021
Response via : Initial Calibration



TIC: VW021310.D\data.ms

(13) Acetone (T)

4.123min (-0.000) 5.90 ug/L

response 662

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	13.29
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
 Data File : VW021310.D
 Acq On : 11 Dec 2021 03:13
 Operator : SY/VA
 Sample : M5023-08
 Misc : 6.03g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGKY4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/12/2021
 Supervised By :Mahesh Dadoda 12/15/2021

Quant Time: Dec 11 04:25:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 10 23:12:45 2021
 Response via : Initial Calibration



TIC: VW021310.D\data.ms

(13) Acetone (T)

4.123min (-0.000) 11.10 ug/L m

response 1245

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.40	7.07
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw121021\
 Data File : VW021310.D
 Acq On : 11 Dec 2021 03:13
 Operator : SY/VA
 Sample : M5023-08
 Misc : 6.03g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGKY4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/12/2021
 Supervised By :Mahesh Dadoda 12/15/2021

Quant Time: Dec 11 04:25:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 10 23:12:45 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	48754	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	36892	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	12646	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	25845	29.107	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	116.440%	
7) Chloroethane-d5	2.885	69	19734	33.619	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	134.480%	
11) 1,1-Dichloroethene-d2	4.019	63	24951	21.077	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	84.320%	
21) 2-Butanone-d5	7.074	46	12842	102.601	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	205.200%#	
24) Chloroform-d	7.647	84	41680	30.677	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	122.720%	
26) 1,2-Dichloroethane-d4	8.305	65	22655	31.347	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	125.400%	
32) Benzene-d6	8.275	84	70807	35.015	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	140.080%#	
36) 1,2-Dichloropropane-d6	9.268	67	21419	39.495	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	157.960%#	
41) Toluene-d8	10.323	98	59021	28.566	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	114.280%	
43) trans-1,3-Dichloroprop...	10.573	79	7279	29.150	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	116.600%	
47) 2-Hexanone-d5	10.927	63	8078	100.729	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	201.460%#	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	17376	37.271	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	149.080%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	12063	24.613	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	98.440%	
Target Compounds						
13) Acetone	4.123	43	1245m	11.096	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121021\
Data File : VW021310.D
Acq On : 11 Dec 2021 03:13
Operator : SY/VA
Sample : M5023-08
Misc : 6.03g/10.0mL/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGKY4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/12/2021
Supervised By :Mahesh Dadoda 12/15/2021

Quant Time: Dec 11 04:25:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 10 23:12:45 2021
Response via : Initial Calibration

