

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121119\
 Data File : VW014316.D
 Acq On : 11 Dec 2019 20:45
 Operator : SY/VA
 Sample : K6236-17
 Misc : 5.43G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFEZ4

Manual Integrations
 APPROVED

apatel
 12/12/2019 4:21:33 PM

Quant Time: Dec 12 06:47:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 12 04:57:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1075099	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	983661	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	415497	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	373621	22.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.80%
7) Chloroethane-d5	2.89	69	297564	24.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.32%
10) 1,1-Dichloroethene-d2	4.01	63	526750m	18.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.28%
20) 2-Butanone-d5	7.07	46	170828	40.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.54%
24) Chloroform-d	7.65	84	701764	25.64	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.56%
26) 1,2-Dichloroethane-d4	8.30	65	358882m	25.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.04%
29) Benzene-d6	8.27	84	1457437	25.28	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.12%
33) 1,2-Dichloropropane-d6	9.27	67	454926	25.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.60%
37) Toluene-d8	10.32	98	1296175	24.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.44%
38) trans-1,3-Dichloropropene-	10.57	79	167160	22.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.84%
39) 2-Hexanone-d5	10.92	63	139388	39.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.04%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	321532	22.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	421235	26.53	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	106.12%

Target Compounds				Ovalue
13) Acetone	4.12	43	17104	4.182 ug/L 79

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121119\
Data File : VW014316.D
Acq On : 11 Dec 2019 20:45
Operator : SY/VA
Sample : K6236-17
Misc : 5.43G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BFEZ4

Manual Integrations
APPROVED

apatel
12/12/2019 4:21:33 PM

Quant Time: Dec 12 06:47:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 12 04:57:07 2019
Response via : Initial Calibration





#13
Acetone
Concen: 4.182 ug/L
RT: 4.12 min Scan# 364
Delta R.T. 0.01 min
Lab File: VW014316.D
Acq: 11 Dec 2019 20:45

Instrument :
MSVOA_W
ClientSampleId :
BFEZ4

Tot Ion	Ratio	Lower	Upper
43	100		
58	20.8	0.0	65.4

Manual Integrations
APPROVED

apatel
12/12/2019 4:21:33 PM

