

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121218\
 Data File : VW007401.D
 Acq On : 11 Dec 2018 17:08
 Operator : SY/AP
 Sample : J6271-14
 Misc : 6.05G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F9E29

Quant Time: Dec 12 03:44:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 11 01:18:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	111673	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	101275	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	45633	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	20530	28.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.88%
7) Chloroethane-d5	2.90	69	15171	24.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.52%
10) 1,1-Dichloroethene-d2	4.01	63	50605	20.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.68%
20) 2-Butanone-d5	7.08	46	24672	53.81	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.62%
24) Chloroform-d	7.65	84	71125	27.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	108.00%
26) 1,2-Dichloroethane-d4	8.31	65	44248	29.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	118.04%
29) Benzene-d6	8.27	84	138408	25.16	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.64%
33) 1,2-Dichloropropane-d6	9.27	67	39828	25.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.48%
37) Toluene-d8	10.32	98	130877	25.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.52%
38) trans-1,3-Dichloropropene-	10.58	79	20697	25.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	103.16%
39) 2-Hexanone-d5	10.93	63	19318	51.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	40776	28.51	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	114.04%
61) 1,2-Dichlorobenzene-d4	13.86	152	44844	27.93	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.72%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121218\
Data File : VW007401.D
Acq On : 11 Dec 2018 17:08
Operator : SY/AP
Sample : J6271-14
Misc : 6.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F9E29

Quant Time: Dec 12 03:44:07 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 11 01:18:15 2018
Response via : Initial Calibration

