

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121218\
 Data File : VW007392.D
 Acq On : 11 Dec 2018 13:14
 Operator : SY/AP
 Sample : J6236-21
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Dec 12 03:12:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 11 01:18:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	120794	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	109991	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	53899	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	21350	27.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.56%
7) Chloroethane-d5	2.89	69	16178	24.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.12%
10) 1,1-Dichloroethene-d2	4.01	63	54871	20.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.88%
20) 2-Butanone-d5	7.08	46	27015	54.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.94%
24) Chloroform-d	7.65	84	71244	25.01	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.04%
26) 1,2-Dichloroethane-d4	8.31	65	43025	26.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.12%
29) Benzene-d6	8.27	84	143125	23.96	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.84%
33) 1,2-Dichloropropane-d6	9.27	67	40868	23.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.88%
37) Toluene-d8	10.32	98	139250	24.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.44%
38) trans-1,3-Dichloropropene-	10.58	79	21184	24.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.24%
39) 2-Hexanone-d5	10.93	63	21229	51.73	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.46%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	40404	26.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.04%
61) 1,2-Dichlorobenzene-d4	13.86	152	49903	26.32	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.28%


Target Compounds				Ovalue
16) Methylene chloride	4.90	84	3487	1.787 ug/L # 83




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121218\
Data File : VW007392.D
Acq On : 11 Dec 2018 13:14
Operator : SY/AP
Sample : J6236-21
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Dec 12 03:12:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 11 01:18:15 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.787 ug/L
RT: 4.90 min Scan# 492
Delta R.T. -0.01 min
Lab File: VW007392.D
Acq: 11 Dec 2018 13:14

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
49	102.0	80.8	150.2
86	45.1	45.8	85.2#

