

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121218\
 Data File : VW007395.D
 Acq On : 11 Dec 2018 14:32
 Operator : SY/AP
 Sample : J6297-14
 Misc : 5.91G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F9E47

Quant Time: Dec 12 03:23:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 11 01:18:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	56959	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	53034	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	23979	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	11065	29.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	119.28%
7) Chloroethane-d5	2.90	69	8339	26.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.16%
10) 1,1-Dichloroethene-d2	4.01	63	25951	20.28	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.12%
20) 2-Butanone-d5	7.08	46	10216	43.69	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.38%
24) Chloroform-d	7.65	84	34853	25.94	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	103.76%
26) 1,2-Dichloroethane-d4	8.31	65	21501	28.12	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	112.48%
29) Benzene-d6	8.27	84	71944	24.98	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.92%
33) 1,2-Dichloropropane-d6	9.27	67	20692	25.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.68%
37) Toluene-d8	10.32	98	67401	24.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.84%
38) trans-1,3-Dichloropropene-	10.58	79	10457	24.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.56%
39) 2-Hexanone-d5	10.93	63	7987	40.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	17959	23.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	23164	27.46	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	109.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121218\
Data File : VW007395.D
Acq On : 11 Dec 2018 14:32
Operator : SY/AP
Sample : J6297-14
Misc : 5.91G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F9E47

Quant Time: Dec 12 03:23:19 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120718S.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 11 01:18:15 2018
Response via : Initial Calibration

