

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121321\
 Data File : VW021356.D
 Acq On : 13 Dec 2021 12:14
 Operator : SY/VA
 Sample : M4884-23
 Misc : 5.06g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: Dec 14 00:35:02 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 14 00:34:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	85620	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	80291	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	40960	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	40948	26.259	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.040%
7) Chloroethane-d5	2.885	69	28655	27.797	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	111.200%
11) 1,1-Dichloroethene-d2	4.019	63	42312	20.353	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.400%
21) 2-Butanone-d5	7.080	46	10586	48.160	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.320%
24) Chloroform-d	7.647	84	61129	25.619	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.480%
26) 1,2-Dichloroethane-d4	8.305	65	31134	24.530	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.120%
32) Benzene-d6	8.275	84	116498	26.471	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.880%
36) 1,2-Dichloropropane-d6	9.274	67	31741	26.892	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	107.560%
41) Toluene-d8	10.323	98	116138	25.827	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	103.320%
43) trans-1,3-Dichloroprop...	10.579	79	14497	26.675	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	106.720%
47) 2-Hexanone-d5	10.921	63	8813	50.494	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.980%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	25272	24.907	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.640%
66) 1,2-Dichlorobenzene-d4	13.853	152	42060	26.496	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	106.000%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121321\
Data File : VW021356.D
Acq On : 13 Dec 2021 12:14
Operator : SY/VA
Sample : M4884-23
Misc : 5.06g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Dec 14 00:35:02 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Dec 14 00:34:04 2021
Response via : Initial Calibration

