

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121321\
 Data File : VW021368.D
 Acq On : 13 Dec 2021 17:05
 Operator : SY/VA
 Sample : M5062-19RE
 Misc : 6.17g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGL20RE

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 12/14/2021
 Supervised By : Mahesh Dadoda 12/16/2021

Quant Time: Dec 14 00:37:36 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Dec 14 00:34:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	72684	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	59054	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	18035	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	30522	23.057	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.240%		
7) Chloroethane-d5	2.879	69	27248	31.137	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	124.560%		
11) 1,1-Dichloroethene-d2	4.007	63	32442	18.383	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	73.520%		
21) 2-Butanone-d5	7.086	46	8955	47.991	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.980%		
24) Chloroform-d	7.647	84	50068	24.718	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	98.880%		
26) 1,2-Dichloroethane-d4	8.305	65	23665	21.964	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	87.840%		
32) Benzene-d6	8.275	84	86599	26.753	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	107.000%		
36) 1,2-Dichloropropane-d6	9.274	67	24742	28.501	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	114.000%		
41) Toluene-d8	10.323	98	75752	22.904	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	91.600%		
43) trans-1,3-Dichloroprop...	10.579	79	8889	22.238	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.960%		
47) 2-Hexanone-d5	10.920	63	6095	47.480	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.960%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	15709	21.050	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.200%		
66) 1,2-Dichlorobenzene-d4	13.853	152	14306	20.468	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	81.880%		
Target Compounds						Qvalue
12) 1,1-Dichloroethene	4.038	96	6572	7.295	ug/L	# 52
13) Acetone	4.153	43	2270	13.570	ug/L	78
14) Carbon disulfide	4.367	76	3900m	1.676	ug/L	
16) Methylene chloride	4.909	84	5030	4.188	ug/L	71
19) 1,1-Dichloroethane	6.214	63	170534	111.404	ug/L	99
46) Tetrachloroethene	10.860	164	2315	2.699	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121321\
Data File : VW021368.D
Acq On : 13 Dec 2021 17:05
Operator : SY/VA
Sample : M5062-19RE
Misc : 6.17g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BGL20RE

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 12/14/2021
Supervised By : Mahesh Dadoda 12/16/2021


Quant Time: Dec 14 00:37:36 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Dec 14 00:34:04 2021
Response via : Initial Calibration





#12
1,1-Dichloroethene
Concen: 7.295 ug/L
RT: 4.038 min Scan# 31
Delta R.T. 0.000 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05




Instrument :
MSVOA_W
ClientSampleId :
BGL20RE



Tgt Ion: 96 Resp: 6572
Ion Ratio Lower Upper
96 100
61 149.8 138.3 256.9
63 201.2 82.6 153.4




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 12/14/2021
Supervised By :Mahesh Dadoda 12/16/2021



#13
Acetone
Concen: 13.570 ug/L
RT: 4.153 min Scan# 369
Delta R.T. 0.025 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05


Tgt Ion: 43 Resp: 2270
Ion Ratio Lower Upper
43 100
58 15.0 0.0 52.8





#14
Carbon disulfide
Concen: 1.676 ug/L m
RT: 4.367 min Scan# 407
Delta R.T. -0.018 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05




Instrument :
MSVOA_W
ClientSampleId :
BGL20RE




Tgt Ion: 76 Resp: 3900
Ion Ratio Lower Upper
76 100
78 6.7 7.1 10.7

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 12/14/2021
Supervised By :Mahesh Dadoda 12/16/2021




#16
Methylene chloride
Concen: 4.188 ug/L
RT: 4.909 min Scan# 493
Delta R.T. -0.006 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05




Tgt Ion: 84 Resp: 5030
Ion Ratio Lower Upper
84 100
86 46.8 45.5 84.5
49 104.7 100.5 186.7





#19
1,1-Dichloroethane
Concen: 111.404 ug/L
RT: 6.214 min Scan# 707
Delta R.T. 0.000 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05




Instrument :
MSVOA_W
ClientSampleId :
BGL20RE




Tgt Ion: 63 Resp: 170534
Ion Ratio Lower Upper
63 100
65 31.6 22.1 41.1
83 14.4 9.2 17.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 12/14/2021
Supervised By :Mahesh Dadoda 12/16/2021



#46
Tetrachloroethene
Concen: 2.699 ug/L
RT: 10.860 min Scan# 1469
Delta R.T. 0.000 min
Lab File: VW021368.D
Acq: 13 Dec 2021 17:05



Tgt Ion:164 Resp: 2315
Ion Ratio Lower Upper
164 100
129 100.1 65.5 121.7
131 78.5 59.7 110.9
166 132.3 88.7 164.7

